



United States Department of Agriculture

Medicine Bow-Routt National Forest's and Thunder Basin National Grassland
Supplement to the

Rocky Mountain Region
Safety and Management Plan Supplement

National Aviation Safety and Management Plan



2016



Forest Service

January 2016

In accordance with Federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its Agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, religion, sex, gender identity (including gender expression), sexual orientation, disability, age, marital status, family/parental status, income derived from a public assistance program, political beliefs, or reprisal or retaliation for prior civil rights activity, in any program or activity conducted or funded by USDA (not all bases apply to all programs). Remedies and complaint filing deadlines vary by program or incident.

Persons with disabilities who require alternative means of communication for program information (e.g., Braille, large print, audiotape, American Sign Language, etc.) should contact the responsible Agency or USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English.

To file a program discrimination complaint, complete the USDA Program Discrimination Complaint Form, AD-3027, found online at http://www.ascr.usda.gov/complaint_filing_cust.html and at any USDA office or write a letter addressed to USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to USDA by: (1) mail: U.S. Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410; (2) fax: (202) 690-7442; or (3) email: program.intake@usda.gov.

USDA is an equal opportunity provider, employer and lender.

2016**National Aviation Safety and Management Plan**Prepared and Reviewed By: /s/ Michael PeitzDate: 1/27/2016

Michael Peitz, Branch Chief, Aviation Strategic Plans (Acting)

Reviewed By: /s/ Aaron SchoolcraftDate: 1/25/2016Aaron Schoolcraft, Alaska and Pacific Northwest Region
Assistant Fire Director, Aviation; Regional Aviation Officer
Council ChairpersonReviewed By: /s/ Nick HoughDate: 1/25/2016Nick Hough, Eastern Region Aviation Safety Manager,
National Aviation Safety Council ChairpersonReviewed By: /s/ Arthur HinamanDate: 3/4/2016

Arthur Hinaman, Assistant Director, Aviation

Reviewed By: _____

Date: _____

Frank Guzman, Deputy Director, Operations-Acting

Approved By: /s/ Dan OlsenDate: 3/11/2016

Dan Olsen, Director, Fire and Aviation Management-Acting

2016**Regional Aviation Safety and Management Plan**

Prepared: /s/ J Kent Hamilton **Date:** 01/21/2016
John Kent Hamilton, SSE

Reviewed: /s/ Jim Lawson **Date:** 01/21/2016
Regional Helicopter Operations Specialist

Reviewed: /s/ Jim McMahon **Date:** 02/09/2016
Regional Aviation Officer

Reviewed: /s/ Julian Affuso **Date:** 02/03/2016
Acting Regional Fire Director

Approved: /s/ Jacque Buchanan **Date:** 02/09/2016
(For) Regional Forester

2016**Forest Health Protection/Law Enforcement Management Plan**

Prepared: /s/ J Kent Hamilton
John Kent Hamilton, SSE

Date: 01/21/2016

Reviewed: /s/ Heiko Bornhoff
ASAC

Date: 02/02/2016

Reviewed: /s/ Jim McMahon
Regional Aviation Officer

Date: 02/09/2016

Approved: /s/ Laura Mark
Special Agent in Charge

Date: 01/22/2016

2016**MBRTB Forest/Station Aviation Safety and Management Plan**Prepared By: /s/ Jay Miller

Jay Miller, Forest AFMO

Date: 03/24/2016Reviewed By: /s/ Jim McMahon

Jim McMahon, R2 Regional Aviation Officer

Date: 03/25/2016Reviewed By: /s/ Jay Miller

Jay Miller, Forest Aviation Officer

Date: 03/24/2016Reviewed By: /s/ Vern Bentley

Vern Bentley, Forest Fire Management Officer

Date: 04/04/2016Approved By: /s/ Dennis L. Jaeger

Dennis Jaeger, Forest Supervisor

Date: 04/19/2016

Contents

1.0 Aviation Management Plan.....	1
1.1 Purpose.....	1
1.2 Mission, Vision, Core Values.....	2
1.3 Leader’s Intent.....	3
1.4 Aviation Doctrine.....	3
1.5 USDA Forest Service Aviation Strategic Plan 2014–2018.....	6
1.6 Authority.....	7
1.7 General Policy.....	7
2.0 Aviation Management Organization.....	8
2.1 Organization.....	8
2.2 Washington Office (WO) Headquarters Staff.....	9
2.3 Regional Office (RO) Staff.....	18
2.4 Forest Staff.....	22
2.5 Additional Aviation Positions.....	23
2.6 National Groups/Committees.....	25
2.7 Program Overview.....	26
3.0 Administration.....	27
3.1 General.....	27
3.2 Reporting and Documentation Requirements.....	27
3.3 Aviation Plans.....	27
3.4 Aircrew Orientation Briefing Package.....	31
3.5 Land Use Policy for Aviation Activities.....	33
3.6 Budget.....	34
3.7 Contracting.....	35
3.8 Aircraft Contract Start/Modification/Extension.....	36
3.9 Contractor Performance.....	36
3.10 End Product Contracts.....	36
3.11 Aircraft Acquisition.....	36
3.12 Cooperator Aircraft.....	37
3.13 Aircraft Administrative Use and Reporting.....	39
3.14 Dispatching.....	39
3.15 Flight Use Reporting.....	40
3.16 Coding and Funding of Contract, Fleet, Severity Aircraft Availability.....	41
3.17 Working Capital Fund (WCF) (Fleet Aircraft).....	41
3.18 Federal Excess Personal Property (FEPP).....	42
3.19 Program Reviews.....	42
3.20 New Project/Program/Issue Requests.....	42
4.0 Aviation Safety Management Systems.....	47
4.1 General.....	47

4.2 Safety Management Systems (SMS).....	47
4.3 Policy.....	48
4.4 Risk Management.....	48
4.5 Assurance.....	50
4.6 Promotion.....	54
4.7 National Fire and Aviation Operations Alert System.....	55
5.0 Aviation Operations.....	55
5.1 General.....	55
5.2 Manuals, Handbooks, and Guides.....	56
5.3 Public/Civil Aircraft Operations.....	60
5.4 Employees on Unapproved Aircraft.....	61
5.5 Aviation Emergency Response.....	61
5.6 Flight Planning.....	62
5.7 Flight Following.....	62
5.8 Radio Frequency Management/Communications.....	63
5.9 Latitude and Longitude Formats.....	64
5.10 Overdue or Missing Aircraft.....	64
5.11 Mishap Response.....	64
5.12 Passengers.....	65
5.13 Transportation of Hazardous Materials.....	66
5.14 Invasive Species Control.....	67
5.15 Fire Chemicals and Aerial Application Policy Near Waterways.....	68
5.16 Search and Rescue (SAR).....	70
5.17 Large Airtanker Operations.....	71
5.18 SEAT Operations.....	71
5.19 Aerial Supervision Operations.....	72
5.20 Helicopter Operations.....	74
5.21 Aerial Ignition Operations.....	77
5.22 Wild Horse & Burro Operations.....	77
5.23 Aerial Capture, Eradication and Tagging of Animals (ACETA).....	77
5.24 Water Scooper Operations.....	78
5.25 Smokejumper Operations.....	78
5.26 Light Fixed-Wing Operations.....	78
5.27 Law Enforcement and Investigations (LEI) Operations.....	80
5.28 Unmanned Aerial Systems (UAS).....	85
5.29 Forest Health Protection (FHP) Operations.....	86
5.30 Aerial Firefighting Use and Effectiveness (AFUE) Study Operations.....	86
6.0 Aviation Training.....	87
6.1 Aviation Training for All Flight Activities and Positions.....	87
6.2 Responsibility.....	88
6.3 Instructor Standards.....	88
6.4 Records Management.....	89

6.5 Tuition and Travel	89
6.6 Development	90
6.7 IAT/NWCG Crosswalk	92
6.8 Aviation Contracting Officer Representative (COR) Requirements.....	92
6.9 Crew Resource Management (CRM) Training	93
7.0 Airspace Coordination.....	93
7.1 Interagency Airspace Coordination	93
7.2 Fire Traffic Area (FTA)	93
7.3 Temporary Flight Restriction (TFR).....	94
7.4 Aircraft Transponder Code (Firefighting)	94
7.5 Airspace Boundary Plan.....	94
7.6 Airspace De-confliction.....	95
7.7 Airspace Conflicts	96
7.8 Airspace Agreements – Memorandums of Understanding.....	96
8.0 Aviation Security	97
8.1 Aviation Security	97
8.2 FS Facilities Security Risk Assessments.....	97
8.3 FS Security Response Actions	98
8.4 General Aviation Security Awareness Programs	98
8.5 Aircraft Security Information (Cooperators)	98
8.6 TSA Commercial Airport Security	98
9.0 Aviation Facilities	99
9.1 General	99
9.2 Permanent Aviation Facilities	99
9.3 Temporary Aviation Facilities	99
9.4 Safety	100
9.5 Agency Owned/ Operated Facilities	100
9.6 Agency Owned/Operated Airstrips	100
9.7 Leasing	101
9.8 Funding	101
9.9 Land Use Agreements.....	101
9.10 Facilities Security	101
10.0 Appendix	102
10.1 Sample Letter of Cooperator Approval	102
10.2 Cooperator Approval Guide.....	102
10.3 Authorization for Law Enforcement and Investigations Employees to Fly on Department of Justice (DOJ) and Department of Homeland Security (DHS) Aircraft.....	103
10.4 Project Proposal Template	104

Digest

The table below provides a list of changes made from the 2015 National Aviation Safety and Management Plan (NASMP). *Note:* This list is not inclusive of all changes made in the 2016 NASMP.

Section	Description of Change
1.1	Updated last sentence of first paragraph: While the information contained within this plan references policy, this document neither establishes policy nor does it change existing policy. (WO)
1.2 & 1.3	Aligned section with 2014-18 USDA FS Aviation Strategic Plan (WO)
1.4	Aligned with our requirement to use Small Businesses in our contracting process (R6)
1.5	Aligned section with 2014-18 USDA FS Aviation Strategic Plan (WO)
2.1	Changed end of sentence (description of organization) (WO)
2.2	Modified language, updated program manager titles, added Aviation Program Support position (WO)
2.6	Updated language, removed NAT Branch Chief's Committee, and removed AFF Subcommittee (WO)
2.7	Updated language/information about FS Aviation Program (WO) (R3)
3.0	Removed link to PASP until there is a national standard which can be provided as an example (WO)(R3)
3.11	Changed title and updated all language in aircraft acquisition section (WO)
3.20	Removed aircraft from New Project/Program/Issue Requests section (WO)
3.3	Retitled plans, added language, and broke out Scooper operations in Aviation Plans section (WO)
3.6	Modified budget language (WO)
4.5.1	Removed 'Technical' from Aviation Safety and Technical Assistance Team / Entire paragraph updated and reworded (R6)(WO)
4.5.3	Added Aircraft Accident Investigation Guide and created intra-document link to 5.2.3/FS Guides (WO) (R9)
4.5.5	Added 'prior to commencing non-emergency flights or flights outside the scope of an approved training program' language (R5)
5.2.1	Added rotorcraft flight manual and Commercial Pilot Practical Test Standards (R5)
5.2.3	Removed Management Review and Quality Assurance Guide (WO)
5.2.3	Added Operations and Safety Procedures Guide for Helicopter Pilots (R5) / Added UAS Guide (WO) / Added Aircraft Accident Investigation Guide and description of current and future locations (R9) (WO)
5.2.4	Removed UAS Operating Plan (WO) and added Airtanker Ops Plan, Aircraft Coordination Ops Plan, and National Rappel Ops Guide UAS Operating Plan to the Forest Service Aviation Operations Plans section (WO)
5.3	Removed 'exception not the rule' statement (R5)(WO)
5.5	Updated Aviation Emergency Response title and revised language (WO) / Further modified language and provided link to an aviation risk assessment (R3)

Section	Description of Change
5.6	Inserted Fight Hazard Map information and guidance information for GIS Specialists
5.7	Updated/revised AFF language (WO)
5.9	Replaced first paragraph concerning aviation standard for communication location coordinates and added FS bulletin # (WO)
5.13	Inserted additional public aircraft language and updated hyperlinks (R5)
5.17	Updated language and added FS A/t Ops Plan (WO)
5.17.1	Removed operational considerations for Very Large Airtankers and Interagency Aerial Supervision Guide (IASG) reference (WO)
5.20.4	Differentiated short-haul missions by listing emergency short-haul independent of LEI short-haul and then inserted hyperlink to the Emergency Medical Short-Haul Operations Plan (WO/R6)
5.20.8	Changed board to subcommittee and then changed the subsequent acronym (WO)
5.25.1	Inserted ram air parachute system language and a hyperlink to the associated CMIP (WO)
5.25.2	Changed evaluation 'board' to 'subcommittee' and then changed the subsequent acronym (WO)
5.26.2	Paragraph removed SE Airplane IMC at night paragraph (it's now policy) (WO)
5.27.3	Updated Aviation Emergency Response title (WO)
5.27.5	Updated and rewarded entire DHS paragraph + updated intra-document link to Appendix 10.3
5.28	Updated and reworded entire Unmanned Aerial Systems (UAS) paragraph (WO)
5.29	Removed last paragraph from the Forest Health Protection section (WO)
5.30	Inserted information about the Aerial Firefighting Use and Efficiency Study Operations (WO)
6.6	Updated aviation training language (R3)
6.9	Modified Crew Resource Management (CRM) Training language/ <i>reduced verbiage</i> (WO)
8.1 & 8.3	Changed National Terrorism Alert System to Advisory System to reflect actual title(R3)
9.4	Removed second sentence for efficiency (in order to not parrot policy which is referenced) (WO)
10.4 (Appendix)	Removed "aircraft" from General Process Information section (WO) / Added "Program" and provided example to General Project Process section (R3)

1.0 Aviation Management Plan

1.1 Purpose

The purpose of the Forest Service National Aviation Safety and Management Plan (NASMP) is to describe Washington Office Fire and Aviation Management (FAM) leader's intent, authority, roles and responsibilities, programs, activities, and to provide strategic and operational direction and operational guidance to each organizational level. While the information contained within this plan references policy, this document neither establishes policy nor does it change existing policy. Individual Regions and Units may supplement this plan when needed.

The USDA Forest Service must endeavor to place the safety of employees above all else and ensure recognized hazards are mitigated. The Forest Service's goal is to develop a culture that achieves and maintains a zero accident rate. Prior to conducting any work projects, all risks should be mitigated to the lowest acceptable level. Incorporating [FS Aviation Safety Management System \(SMS\) Guide](#) with a strong Quality Assurance (QA) component will improve the operating model for safety, efficiency, and effectiveness.

Regional Supplement:

Rocky Mountain Regional Supplement: The National Aviation Management Plan, along with The Regional Aviation Safety and Management Plan set forth through Rocky Mountain Regional Supplements defines the aviation program in Region 2. The operational policies and methods used are intended to be consistent with national policy and pertinent Federal Aviation Regulations (FAR's). The Rocky Mountain Regional Supplements address where the Region has established more restrictive and conservative operational and safety policies than those established at the National level. The Regional Aviation Safety and Management Plan will identify the responsibilities of the Regional Aviation program managers, each position within the organization, and includes tasks and responsibilities.

The National Aviation Safety and Management Plan, along with Rocky Mountain Rocky Mountain Regional Supplements, are to be used by the forests, in conjunction with specific Forest supplements, to plan and execute aviation programs and projects.

Forest Supplement:

This portion of the document serves as a supplement to the National and Regional Aviation Management and Safety Plans. National plan information is the primary content of the document (text in black). **Regional Supplements will be denoted in red** and information specific to aviation management on the Medicine Bow- Routt National Forest's and Thunder Basin National Grassland will be reproduced in green text. Utilization of this supplement is intended for integration within the context of the National/Regional Aviation Management and Safety Plan, rather than as a stand-alone document. In the absence of Regional and

Forest Supplemental information, National direction is viewed to adequately address specific headings.

The purpose of the MBRTB Supplement information in this plan is to identify and clarify those aviation policies and concerns that are of specific interest to aviation users, management and operations on the Medicine Bow-Routt National Forest's and the Thunder Basin National Grasslands. Additional operating plans, information, and material pertinent to MBRTB aviation management will be attached in the Appendix or referenced as standalone plans.

Questions regarding this supplement should be directed to the MBRTB Aviation Officer, who retains the original signature copy and electronic version of this combined plan.

1.2 Mission, Vision, and Core Values

Forest Service Aviation Mission. To provide safe, efficient, and coordinated aviation support for agency operations; to support partnership agreements; and to meet current and future needs through innovation and technology in order to sustain the health, diversity, and productivity of the Nation's forests and grasslands.

Forest Service Aviation Vision. Lead the world in aviation, supporting natural resources and wildland firefighting.

Fire and Aviation Management Core Values. Safety, integrity, treating people with mutual respect, and land stewardship.

Forest Service Aviation Core Values. To succeed in our mission as a public service organization, we believe that:

- Uncompromising integrity is a nonnegotiable part of our daily work activities.
- Excellence is expected.
- Proactive safety is a condition of employment.
- Disagreement does not equal disrespect.
- Everyone is accountable for his or her actions.
- Honest mistakes are expected.
- We can overcome challenges through innovation, collaboration, and hard work.

Regional Supplement

No Supplement.

Forest Supplement: We are committed to safety, professional development of our people, our partners, and our communities. Our fire management decisions support ecological function and social values, leading to healthy landscapes. We are innovative, embracing and practicing leadership that reflects doctrine. We work respectfully, and focus on integrating our work with that of others.

1.3 Leader's Intent

The Forest Service's aviation program goal is to provide aviation tools that safely and efficiently accomplish missions related to the task of managing national forests. Aircraft are dynamic and high impact resources that can be both expensive and unforgiving when used carelessly. These resources require competent operational oversight; and appropriate utilization of aviation resources can drastically improve operational effectiveness and efficiency, while reducing cost and overall risk. Aviation management requires balanced and pragmatic consideration of multiple complex factors, including safety, the environment, costs and mission goals.

Goal 1: Zero Accident Organization. Become a zero-fatality and zero-accident organization by implementing a Safety Management System (SMS) agency-wide approach to management and operations that includes safety management policy, safety risk management, safety assurance and safety promotion.

Goal 2: Take Care of Our People. Recruit and maintain a sufficient number of highly qualified, trained and motivated workforce members.

Goal 3: Organize for Success. Align the Forest Service aviation program and organization to meet the needs of current and future operations.

Goal 4: Take Advantage of Technology. Where feasible, deploy technologically advanced and cost-effective aircraft, equipment and infrastructure to meet the agency's current and future mission.

Refer to the [USDA Forest Service Aviation Strategic Plan 2014-2018](#) for additional information.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

1.4 Aviation Doctrine

Management has defined policy and doctrine in [FSM 5700](#) that conveys aviation safety expectations and objectives to employees. Aviation safety policy in [FSM 5700](#) addresses roles, responsibilities, and authorities regarding aviation safety at each organizational level.

This process starts with a clear value-based philosophy of what the organization and its business model should be and what it is about. The relevance of safety principles to Forest Service doctrine for aviation management cannot be overstated. These principles permeate the aviation management business model and drive SMS program design.

“As an organization our commitment is to manage risk to the lowest practical level.” This effort is an iterative process that requires diligence in the following principle areas:

- Develop and maintain a safety culture that recognizes the value of safety management systems;
- Clearly define the duties, responsibilities, and accountabilities for all employees;
- Provide all employees with adequate training and information to enhance performance;
- Comply with or exceed all regulatory and agency specific requirements;
- Proactively manage the risks associated with our operation;
- Standardize risk management as a part of the aviation operations planning process such that all deliberate/strategic risk assessments follow the general format found in section 3.5 of the [SMS Guide](#).
- Ensure externally supplied services and materials meet or exceed all regulatory and agency specific requirements;
- Determine specific performance goals and consistently measure performance against those goals;
- Conduct internal management and safety reviews to improve performance;
- Encourage all employees to report errors and safety issues in the spirit of a just culture.
- To formalize risk management as a part of the planning process, risk assessments should follow the format found in section 3.5 of the [FS Aviation Safety Management System \(SMS\) Guide](#).

1.4.1 Quality Principles

Top management shall ensure that quality policies and procedures are consistent with [SMS](#) requirements defined in this manual. [SMS](#) quality management (assurance and control) processes shall be consistent with agency to improve the efficiency of the entire organization.

1. “Create a constancy of purpose.” Replace short-term reaction with long-term planning. This applies to action plans that make adjustments for weaknesses and deficiencies.

- Avoid reactive fixes to organizational problems.
- Define the problems of today and the future.
- Allocate resources for long-term planning and plan for high quality services.
- Constantly improve product and service.

2. “Adopt a new philosophy.” Meaningful change can only take place from within the organization. Change focus from operations output to quality service.

- Quality costs less not more.

- The call for major change comes from the top.
 - Stop waiting for direction from upper management and instead seek direction by evaluating field customer needs.
3. "Cease dependence on inspection to achieve quality." Quality does not come from inspection alone. If quality is designed into the process, and standards are fully implemented, then variation is reduced, and there is less need to inspect operations for defects.
- Inspections should be used to collect data for process control and to provide input to guide management decisions resulting in a reduction in potential errors.
 - Quality cannot be achieved through reactive identification and elimination of errors because it perpetuates the fly/crash/fix/fly cycle.
4. "Do not award business based on price tag alone." Our actions should be focused on the detection of variations between vendors' performances to identify the best service providers. Contract language should be consistent and clear so vendors understand our requirements.
- Price alone has no meaning: change focus from lowest cost to best value/cost.
 - Develop a longer term relationship (contract) between the operation and vendors.
5. "Improve constantly the system of production and service." Each new action must constantly strive to reduce variation and introduce mitigations that reduce mishaps and improve effectiveness.
- Quality starts with the intent of management, which is found in directives.
 - Design Quality into the system with a fundamental focus on team work in design.
 - Constantly maintain awareness and continue to reduce waste.
 - Constant improvement of the system requires greater efforts than reactively responding to errors and issues.

1.4.2 Aviation Promotion Principles

Management must be committed to the implementation of SMS as their highest priority: to provide safety resources, to continuously improve safety practices, and to provide a framework for responsibility and accountability.

1. "Institute a program of education and self-improvement." Personnel need a thorough grounding in the principles, tools, and techniques of SMS. People must learn new ways of working together as teams and adopt new behaviors that support the new management philosophy.

- Educate for higher awareness in management and in customers.
- Develop team-building skills in employees.

2. "Break barriers among staff areas." Another idea central to QA is the concept of the 'internal customer,' which in our case may mean that management processes, antiquated

policies, budget allocations, and hiring restrictions are the barriers to our success. We need to act to correct such inefficiencies.

- Promote team work to identify internal barriers and satisfy the internal customer.
- Know your inefficiencies as well as those of your suppliers and customers.

3. "Adopt and institute leadership." Leadership means designing the system around high standards, building a quality culture, and modeling behavior that exemplifies the values to support such a culture.

- Remove barriers to foster pride of workmanship and recognize positive outcomes.
- Leaders must know the work they manage and supervise.

4. "Take action to accomplish the transformation." Everyone in the organization must work together to facilitate change management. Forest Service Aviation Managers at all levels in the program should:

- Be proactive within the implementation of the change management process.
- Take pride in the new doctrine and the Quality Assurance Program Plan (QAPP).
- Include a cross section of people to implement the change from the top to the bottom.

1.5 USDA Forest Service Aviation Strategic Plan 2014–2018

The [Aviation Strategic Plan](#) provides an outline of how the agency will use aviation assets to accomplish the Forest Service mission: "To sustain the health, diversity, and productivity of the Nation's forests and grasslands for the benefit of present and future generations."

The Aviation Strategic Plan defines Aviation Management's vision, mission, values and goals. To accomplish the Forest Service Aviation mission, "To provide safe, efficient, and coordinated aviation support for agency operations; to support partnership agreements, and to meet current and future needs through innovation and technology in order to sustain the health, diversity, and productivity of the Nation's forests and grasslands," Aviation goals are focused on safety, people, organization, and technologically advanced assets. These goals are characterized by specific objectives. Performance measures are used to define how well the agency has advanced toward accomplishing each objective. Strategies define the method or approach taken to accomplish the objectives and are reflective of opportunities and threats. Action plans will move the strategies forward and will be specific, measurable, and attainable. Progress will be reported in our annual aviation program report to assist the Forest Service with monitoring performance.

The Aviation Strategic Plan is the umbrella document that provides strategic context for all aviation activities. The plan is not a stand-alone document, but rather it complements, enhances, and guides other plans and strategies. The plan is tiered to higher level documents such as the Forest Service Strategic Plan. It is the long-term framework for guiding future Forest Service Aviation activities.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement

1.6 Authority

This plan fulfills the requirements outlined in [FSM 5700](#). This plan sets the standard that will be aviation policy and has been developed to provide standardization and policy for aviation programs. While this document is Forest Service specific, it does incorporate interagency standards.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

1.7 General Policy

The policy of the Forest Service requires employees to follow the direction in aviation manuals, handbooks, and the aviation guides as listed in this chapter, under [FSM 5706](#).

Aviation operations require regulations, manuals, guides, and checklists to execute and coordinate operations in a safe and effective manner. Where the terms “shall” and “must” are used in manuals, handbooks, or guides, compliance with those items is mandatory and not discretionary ([FSM 1110.8 – Exhibit 01 Degree of Compliance or Restriction in Directives](#)). These principles should guide employees; they are authoritative, but require employees to apply their judgment in order to solve problems.

Regional Supplement

Rocky Mountain Regional Supplement: Each Forest shall either supplement this plan or annually update a format of their choosing for submission to the Rocky Mountain Regional Office for review by the aviation group as appropriate.

Forest Supplement

No Supplement.

2.0 Aviation Management Organization

2.1 Organization

The Washington Office (WO) Fire and Aviation Management (FAM) is located at the USDA Forest Service National Headquarters in Washington D.C. and at a Washington Office detached unit in Boise, ID.

The Forest Service has nine Regional Offices and the North East Area located throughout the United States.

Region 1: Missoula, MT

Region 2: Golden, CO

Region 3: Albuquerque, NM

Region 4: Ogden, UT

Region 5: Vallejo, CA

Region 6: Portland, OR

Region 8: Atlanta, GA

Region 9: Milwaukee, WI

Region 10: Juneau, AK (Fire and Aviation are combined with Region 6, Portland, OR)

Northeast Area: Newtown Square, PA

There are five (5) Research Stations, one (1) Institute, and one (1) Laboratory.

Pacific Northwest Research Station: Portland, OR

Pacific Southwest Research Station: Berkeley, CA

Rock Mountain Research Station: Ft. Collins, CO

Northern Research Station: Newtown Square, PA

Southern Research Station: Ashville, NC

International Institute of Tropical Forestry: San Juan, PR

Forest Products Laboratory: Madison, WI

Each Region/Station/Area has several Forests/Units located within their geographical location or area of responsibility.

2.2 Washington Office (WO) Headquarters Staff

2.2.1 Director, Fire and Aviation (FAM)

The Director, FAM, is responsible to the Deputy Chief for State and Private Forestry. The Director, FAM's responsibilities are located in the [FSM 5704.2](#), [FSM 5720.43](#), and the [FSH 5709.19, Chapter 10](#).

2.2.2 Deputy Director, Aviation, Operations and Risk Management

The Deputy Director, Aviation, Operations and Risk Management responsibilities are located in the [FSM 5704.21](#) and the [FSH 5709.16, Chapter 50](#).

2.2.3 Assistant Director, Aviation

The Assistant Director, Aviation responsibilities are located in the [FSM 5704.21](#). The Assistant Director, Aviation provides national program direction, leadership, and management of the Forest Service aviation program, including coordination of aviation activities with other staffs, agencies, and groups, with an emphasis on aviation planning, budget, policy, operations, aircraft airworthiness, pilot standardization, aviation training and quality assurance. The Assistant Director, Aviation supervises:

- Branch Chief, Aviation Business Operations – Washington D.C.
- Branch Chief, Aviation Operations – Boise, ID
- Branch Chief, Airworthiness – Boise, ID
- Branch Chief, Pilot Standardization – Boise, ID
- Branch Chief, Aircraft Program Management – Washington D.C.
- Branch Chief, Aviation Strategic Plans – Washington D.C.


2.2.4 Branch Chief, Aviation Business Operations (ABO)

The Branch Chief, Aviation Business Operations provides oversight, planning, coordination, and direction for aviation policy, budget, reporting, and analysis. The Branch Chief ABO supervises three Aviation Management Specialists.


2.2.5 Branch Chief, Aviation Strategic Plans

The Branch Chief, Aviation Strategic Plans develops aviation strategy for the Forest Service.

FIRE and AVIATION MANAGEMENT
Washington Office Headquarters and Washington Office Boise Aviation



FIRE and AVIATION MANAGEMENT
Washington Office Headquarters Aviation Operations



2.2.6 Branch Chief, Aircraft Program Management

The Branch Chief, Aviation Program Management manages aircraft fleet programs.

2.2.7 Branch Chief, Aviation Operations

The Branch Chief, Aviation Operations provides oversight, coordination, and direction of aviation operations conducted by the National Office and Regions. The Branch Chief supervises the National Helicopter Program Manager, National Airtanker Program Manager, National Aircraft Coordinator, National Aerial Supervision Program Manager, National Helicopter Operations Specialist, National Smokejumper Program Manager, and National Rappel Specialist. The Branch Chief's responsibilities are located in the [FSM 5704.22](#) and [FSH 5709.16, Chapter 10, 10.41c](#).

National Helicopter Program Manager

The National Helicopter Program Manager:

- Provides oversight for the helicopter program.
- Serves as principal helicopter program advisor to National Contracting, Fire and Aviation HQ staff and the Regions in the development and implementation of policies, programs, and standard practices for helicopter programs and specialized projects.
- Responsible for performing contract helicopter inspections and pilot approvals.
- Serves as the contact and coordination point for industry groups and cooperating agencies regarding contract helicopter approvals and operations.

National Airtanker Program Manager

The National Airtanker Program Manager provides national airtanker program leadership, coordination, oversight, and interagency cooperation.

National Aircraft Coordinator

The National Aircraft Coordinator is responsible for coordinating the efficient use of airtankers, helicopters, lead planes and ASMs, and other aircraft as assigned. Movement of aircraft is coordinated with the National Interagency Coordination Center.

- Manages the Defense Logistics Administration fuel program
- May provide technical oversight, reporting and Contracting Officer Technical Representation (COTR) support for nationally contracted aircraft

National Aerial Supervision/Light Fixed Wing Program Manager

The National Aerial Supervision/Light Fixed Wing Program Manager provides national program leadership, coordination, and interagency cooperation for the aerial supervision program and advisor to Contracting, Fire and Aviation HQ staff and Regions in the development and implementation of policies, programs, and standard practices

for the light fixed wing aircraft and programs. The aerial supervision program consists of air tactical, lead plane, aerial supervision module and helicopter coordinator operations.

National Helicopter Operations Specialist (NHOS)

The National Helicopter Operations Specialist is responsible for the oversight, coordination, and direction of helicopter operations activities conducted by the National Office. The NHOS:

- Provides primary technical oversight and support for WO contracted helicopters.
- Provides oversight and assistance to regional helicopter program managers.

National Smokejumper and Large Fixed Wing Program Manager

The National Smokejumper and Large Fixed Wing Program Manager provides national program leadership, coordination, and interagency cooperation in the smokejumper program and is program advisor to Contracting, Fire and Aviation HQ staff, and Regions in the development and implementation of policies, programs, and standard practices for large fixed wing aircraft and programs.

National Rappel Specialist (NRS)

The NRS is responsible for the oversight in developing, recommending and implementing rappel standards, objectives, plans, and policies for the national rappel program.

The NRS:

- Provides oversight and continuous coordination of the national rappel program
- Assures standardization, quality assurance, integration and coordination among the rappel program to ensure that the program and equipment reflect aviation management policy direction, objectives, and regulations.

2.2.8 Branch Chief, Airworthiness

The Branch Chief, Airworthiness supervises Aviation Maintenance Inspectors (Airworthiness), Aviation Safety Inspectors (Avionics), Aeronautical/Aerospace Engineer, and an Aviation Budget Analyst. The responsibilities of the Branch Chief are in the [FSM 5704.23](#).

Aviation Safety Inspectors–Airworthiness (5)

The Aviation Safety Inspectors – Airworthiness:

- Provide oversight for delegated National/Regional program areas.
- Perform National and Regional Aviation program quality assurance, inspections and evaluations to support Forest Service.
- Establish work programs for inspection, monitoring, audits and surveillance.

- Evaluates compliance with Forest Service policy and [Federal Aviation Regulations \(14 CFR\)](#) with respect to airworthiness, maintenance, preventive maintenance, and alteration programs.
- Provides expert technical representation on agency and interagency working groups.
- Prepares and reviews technical specifications for aircraft, aircraft equipment/modifications, maintenance, and inspection requirements

Aviation Safety Inspectors–Avionics (2)

The Aviation Safety Inspectors – Avionics:

- Performs National and Regional aviation avionics program management, including planning, organizing, implementing, and controlling the aviation avionics program.
- Accomplishes equipment, aircraft, and operator inspections and evaluation to support the Forest Service.
- Evaluates compliance with Forest Service policy and [Federal Aviation Regulations \(14 CFR\)](#) with respect to avionics, avionics maintenance, avionics installations, and alteration programs.
- Inspects the avionics of multi-engine piston, or twin-engine turboprop aircraft as well as various fixed and rotor wing aircraft owned, contracted by or cooperated with by the Forest Service.
- Prepares and reviews technical specifications for avionics and inspection requirements, contract rewrite evaluations (e.g., Subject Matter Expert) and contract pre-award evaluation.
- Submits findings and recommendations to the National and/or Regional office which result from surveillance and inspections of aircraft.

Aeronautical/Aerospace Engineer (1)

The Aeronautical/ Aerospace Engineer:

- Provides oversight of Forest Service owned Type Certified Data Sheets (TCDS) and Supplemental Type Certificates (STC), and the Forest Service Operational Loads Monitoring (OLM) Program.
- Assists in the evaluation of proposed new equipment and aircraft modifications.
- Member of the Forest Service Airworthiness Working Group and/or the Interagency Airworthiness Practices Board.
- Interfaces with engineering representatives from aircraft and equipment manufacturers.
- Makes up a part of the airworthiness approval process for UAS utilized by the Forest Service.

Aviation Budget Analyst (1)

The Aviation Budget Analyst is responsible for analyzing and evaluating aviation cost and use data for aviation plans and reports; aviation business cases; managing projects; financial analysis and assessment of compliance with laws and regulations. The Aviation Budget Analyst also completes the Federal Aviation Information Reporting Systems reporting and working capital fund analysis and reports.

2.2.9 Branch Chief, Pilot and Flight Crew Standardization

The Branch Chief, Pilot and Flight Crew Standardization supervises a National Fixed Wing Standardization Pilot, a National Helicopter Standardization Pilot, and National Helicopter Inspector Pilots. The Branch Chief, Pilot Standardization:

- Identifies and approves qualified pilot instructor, check, and inspector pilots.
- Maintains current listings, including all mission and aircraft authorizations, of all qualified instructor, check, and inspector pilots.

National Fixed-Wing Standardization Pilot (1)

The National Fixed-Wing Standardization responsibilities are in the [FSH 5709.16, Chapter 20, 20.42](#).

National Helicopter Standardization Pilot (1)

The National Helicopter Standardization responsibilities are in the [FSH 5709.16, Chapter 20, 20.44](#).

National Helicopter Inspector Pilots (4)

The National Helicopter Inspector Pilots:

- Provides leadership and oversight for the development and implementation of a national helicopter pilot and training program.
- Provides expertise necessary to support the USFS National Standardization and Quality Assurance initiative for oversight of national contract operations.
- Administers pilot evaluations for the purpose of determining an individual's suitability to perform special use missions typical of natural resource operations.
- Provides technical oversight of pilots, aircraft, and equipment used in support of agency missions.


Two NHIPs are stationed in Boise, 2 virtual (Colorado and Georgia).

2.2.10 Assistant Director, Risk Management

The Assistant Director, Risk Management supervises one Branch Chief, Aviation Safety Management Systems

RE and AVIATION MANAGEMENT

Washington Office Boise Aviation Operations, Air Worthiness, and Pilot Standardizations



2.2.11 Branch Chief, Aviation Safety Management Systems


This position has the operational responsibility for development, implementation, and monitoring of the Aviation [Safety Management Systems](#), including oversight of the following key SMS components:

- Policy, including managing and coordinating implementation of the National Aviation Safety Management Plan.
- Risk management.
- Safety Assurance.
- Safety Promotion, including training programs.
- Reporting accidents and incidents to the Director, Fire and Aviation Management Staff, Washington Office and to Forest Service and Department Safety and Health officials.
- Determining the classification of mishaps as accidents, incidents with potential or incidents.
- Management and oversight of Aviation Safety Systems including; National Aviation Safety Center, System Safety Enterprise Team, National Aviation Safety Council, [SAFECON](#) reporting system, aviation safety training and education.
- Maintains a process for data collection and analysis as well as evaluation of aviation risk management and operational safety.
- Establishes safety criteria and standards for National aviation contracts.
- Coordinates with the National Aviation Officer, Logistics, to assure aircraft airworthiness standards and aircraft selection in Agency and service provider aircraft types and provides guidance for final fleet composition.
- Provides program oversight and direction for aviation education and training, including interagency aviation training (IAT), Advanced Aviation Management Training (AAMT) and Lessons Learned.

National Aviation Safety Specialist

The National Aviation Safety Specialist is responsible for service-wide programs involving the development and implementation of plans and programs in aviation safety and standardization for aviation safety programs.

Washington Office Boise Fire and Aviation Risk Management



2.2.12 National Forest Health Protection Aviation Manager

The National Forest Health Protection Aviation Manager (NFHPAM) is responsible for coordinating forest health aviation safety and operations with the appropriate Regional Aviation Safety Manager, Regional Aviation Officer or Unit Aviation Officer.

2.3 Regional Office (RO) Staff

Regional level aviation organizations vary based on workload and overall organization. The Regional Aviation Officer and Regional Aviation Safety Manager are the two consistent positions.

2.3.1 Regional Forester

Regional Forester responsibilities are located in [FSM 5704.3](#).

2.3.2 Regional Aviation Officer (RAO)

The RAO is responsible for the oversight, coordination, and direction of aviation operations activities conducted by the Regional Office. The RAO responsibilities are located in the [FSM 5704.3](#), [FSH 5709.16, Chapter 10, 10.42b](#) and [FSM 5720.48b](#).

2.3.3 Regional Aviation Safety Managers (RASM)

The RASM reports to the Director or the Deputy Director and is responsible for implementation, fostering and promoting SMS, including Policy, Risk Management, Assurance and Promotion. Their responsibilities are located in the [FSM 5720.48d](#).

2.3.4 Regional Aviation Safety Inspector (ASI), Airworthiness / Regional Aviation Maintenance Program Manager

The ASI, Airworthiness is responsible for the maintenance and airworthiness program conducted by the Regional Office. The ASI responsibilities are located in the [FSH 5709.16, Chapter 40, 40.44, 40.45](#) and in the [FS Aircraft Inspection Guide \(AIG\)](#).

2.3.5 Regional Aviation Safety Inspectors – Avionics

The ASI, Avionics, performs Regional aviation avionics program management, including planning, organizing, implementing and controlling the aviation avionics program. The ASI accomplishes equipment, aircraft, and operator inspections and evaluation to support the National and Regional Forest Service.

Rocky Mountain Regional Supplement:

The ASI, Airworthiness is responsible for the maintenance and airworthiness program conducted by the Regional Office. The ASI responsibilities are located in the [FSH 5709.16, Chapter 40, 40.44, 40.45](#) and in the FS Aircraft Inspection Guide (AIG). Aviation Maintenance Inspector – responsible to the Lead Pilot

The Aviation Maintenance Inspector is responsible for coordinating and conducting aircraft inspections, approves contract aircraft for return to service, and inputs approved a/c data in national data base. Aviation Maintenance Inspector responsibilities include:

- Provides efficient and effective management of the airworthiness and inspection program for Regional WCF, cooperator, and contract aircraft.
- Provides technical support to the National maintenance program, briefs pilots and other appropriate personnel on maintenance and avionics issues affecting safety and equipment, and assists on national aviation contract inspections.
- Maintains proficiency in their field in accordance with applicable Federal Aviation Regulations, interagency guides (FSM 5706), and Forest Service Manuals and Handbooks.
- Provides technical assistance in aircraft mishap investigation.

Rocky Mountain Regional Supplement: The ASI, Airworthiness is responsible for the maintenance and airworthiness program conducted by the Regional Office. The ASI responsibilities are located in the [FSH 5709.16, Chapter 40, 40.44, 40.45](#) and in the FS

Aircraft Inspection Guide (AIG). Aviation Maintenance Inspector – responsible to the Lead Pilot

The Aviation Maintenance Inspector is responsible for coordinating and conducting aircraft inspections, approves contract aircraft for return to service, and inputs approved a/c data in national data base. Aviation Maintenance Inspector responsibilities include:

- Provides efficient and effective management of the airworthiness and inspection program for Regional WCF, cooperator, and contract aircraft.
- Provides technical support to the National maintenance program, briefs pilots and other appropriate personnel on maintenance and avionics issues affecting safety and equipment, and assists on national aviation contract inspections.
- Maintains proficiency in their field in accordance with applicable Federal Aviation Regulations, interagency guides (FSM 5706), and Forest Service Manuals and Handbooks.
- Provides technical assistance in aircraft mishap investigation.

Rocky Mountain Regional Supplement: With the exception of the RASI- Avionics who is borrowed the Rocky Mountain Regional Office has the following:

Lead Pilot – Responsible to RAO

The primary role of this position is a lead plane pilot. Additionally this position supervises regional pilots, manages the regional pilot inspection program, responsible for JeffCo Security Plan, provide leadership, coordination, guidance and direction to the Regional Lead Plane Program and fire management. Assists the RAO in program management and oversight. Lead Pilot responsibilities include:

- Manage Aircraft pilot inspection program
- Supervise pilot staff
- Train and evaluate agency pilots
- Provides advice, counsel and support to improve regional and national aviation programs.
- Update Aviation Security Plan annually.

Regional Pilots – Responsible to Lead Pilot (FSM 5704)

- Responsible for safe and efficient aircraft operations
- Assists in pilot inspection program
- Provided input to Regional Aviation Program.

Helicopter Operations Specialist (HOS) – responsible to the RAO


The Helicopter Operations Specialist is responsible for leadership, coordination, and direction of the helicopter program. The HOS leads and coordinates development of recommended policies, standards, and operational procedures. The HOS coordinates and provides expertise and training for helicopter support personnel including aerial ignition, rappel, management, and survey. HOS responsibilities include:

- Provide technical assistance in helicopter operations to the Forests.
- Assist Forests in development of helicopter programs and operating plans.
- Conduct helibase inspections.
- Provide and arrange for instruction for helicopter crew and support personnel.
- May serve as Contracting Officers Representative on helicopter contracts.
- Represent the Region at National level helicopter operations meetings and steering committees.
- Support national firefighting needs as member of STAT teams or technical specialist.
- Provide National Guard briefings for fire and Reconnaissance and Interdiction Detachment (RAID) missions.

Aviation Specialist – responsible to the HOS

Aviation Specialist is a developmental aviation management position. Responsibilities include:

- Provide overall management of type I national helicopter.
- Assist HOS with Regional helicopter program management
- Assist RAO and RASM in program management.



2.4 Forest Staff

2.4.1 Line Officer

Line Officer responsibilities are located in [FSM 5704.6](#), [FSM 5711.04](#), and [FSM 5720.48a](#).

2.4.2 Forest Aviation Officer/Unit Aviation Officer (FAO/UAO)

The FAO/UAO manages the forest aviation program by providing technical and management direction of aviation resources to support Forest programs. The FAO/UAO should meet the Aviation Manager qualifications in [IAT Guide](#). The FAO/UAO responsibilities are located in the ([FSM 5704.61](#)). Some forests employ “service-first” positions to fulfill the FAO/UAO responsibilities. On those units, the position is referred to as a UAO.

Forest Supplement:

Forest Aviation Officer Jay Miller: 307-399-1422, Laramie, WY.

Forest aviation officers are responsible for aviation activities at the forest level including responsibility to:

- a. Oversee aviation mission planning, operations, and risk assessment.
- b. Ensure compliance with aviation management, safety policies, and procedures.
- c. Provide input and follow-up to SAFECOMS involving aviation operations on the Forest.
- d. Conduct periodic safety evaluations of aviation operations.
- e. Evaluate aircraft effectiveness, including cost and utilization.
- f. Ensure that all Forest Aviation Plans and Project Aviation Safety Plans are supplemented, updated, reviewed, and approved at the appropriate management level.
- g. Coordinate with Regional Office aviation management as necessary.
- h. Coordinate Forest aviation training.

2.4.3 All Employees

All employees involved in aviation activities are responsible for acquiring, knowing, and following aviation policy and regulations ([FSM 5704.09](#), [FSM 5720.46](#)). Forest Service employees shall fly only in approved government (refer to Government Aircraft definition in [FSM 5705](#)) aircraft flown by an approved pilot(s). Approvals are specified in [FSM 5703.1](#), [5712.3](#), [5712.4](#) and [5713.4](#). Employees are empowered and expected to manage the risks of aviation operations, and make reasonable and prudent decisions to accomplish the mission. Employees shall use an operational risk management process to evaluate the risk and hazards prior to every flight. Individuals will be held accountable for their decisions, which should be based on policy, principles, training, experience, and the given situation.

Forest Service employees have the responsibility to immediately report to the appropriate official any instances of unsafe equipment or aviation operations ([FSM 5723.1](#) and [5720.46](#)).

Regional Supplement

No Supplement

Forest Supplement:

All personnel are responsible for reporting any aviation activity observed which they believe to be done in a hazardous manner to the appropriate agency authority. When conditions indicate further aviation activity will jeopardize the safe conduct of the operation, employees will initiate action to stop the operation and report, using the SAFECOM format (FS-5700-14), circumstances and action taken to the official in charge. Employees will also provide input to Project Aviation Safety Plans in conjunction with FAO when appropriate.

2.5 Additional Aviation Positions

2.5.1 Station Aviation Officer (SAO)

The SAO coordinates the station aviation activities with the appropriate FAO/UAO and/or the RAO. The SAO may provide general aviation oversight and technical advice under the guidance of the FAO/UAO or RAO. The SAO will meet the Aviation Manager qualifications in [IAT Guide](#).

Regional Supplement

No Supplement.

Forest/ Station Supplement:

Forest Supervisor Dennis Jaeger: 307-399-1404, SO, Laramie, WY.

Establish, administer, and manage national aviation resources assigned to the Forest and oversee an aviation program responsive to the Forest's needs in accordance with current direction.

Supplement the Aviation Management Plan as appropriate.

Ensure that projects and activities involving the use of aircraft are planned in advance by qualified personnel.

Designate Forest Aviation Officers (FSH 5709.16).

Approve all aviation operations on the forest in advance of commencing operations, with the exception of aviation plans or related documents requiring line officer approval. This authority maybe delegated (See 5711.04).

Wyoming State Helitack.

Administration of the Exclusive Use Helicopter contract is by the Wyoming Division of Forestry in Cheyenne, Wyoming.

Contracting Officer is Chris Fallbeck.

Helicopter Manager (Ryan Morgan) reports directly to the Wyoming State Duty Officer, and serves as the Project Inspector, and may serve as alternate COR.

Casper Interagency Dispatch Center Manager, Rob Niebauer, 307-261-7694, Casper, Wyoming

The CPC Manager is responsible for ordering and dispatching aircraft, ensuring that flight plans have been made, flight following, coordinating aviation projects, and maintaining vendor aircraft and pilot agreements.

Craig Interagency Dispatch Center Manager, Pat Butler, 970-826-5034, Craig, Colorado

The CRC Manager is responsible for ordering and dispatching aircraft, ensuring that flight plans have been made, flight following, coordinating aviation projects, and maintaining vendor aircraft and pilot agreements.

District Rangers

Keep the Forest Supervisor and Forest Aviation Officer informed concerning the existing use of aircraft and the need for aircraft services to accomplish District work.

Request technical assistance in planning and supervision of aviation operations.

Ensures that project aviation plans have been developed and approved for all planned aviation projects.

2.6 National Groups/Committees

2.6.1 National Aviation Team (NAT)

The National Aviation Team consists of all members of the Aviation Division, including the Assistant Director, Aviation; six Branch Chiefs; Program Managers and supporting staff.

2.6.2 Interagency Committee on Aviation Policy (ICAP)

This committee is chaired by the General Services Administration (GSA) and includes all federal agencies that own or hire aircraft. GSA established the committee at the direction of the President's Office of Management and Budget (OMB). GSA publishes regulatory policy for aircraft management in [41 Code of Federal Regulations \(CFR\) 102-33](#), "Management of Government Aircraft," and [41 CFR 300-3; 301-10; and 301-70](#), "Travel on Government Aircraft."

[OMB Circular A-126](#), "Improving the Management and Use of Government Aircraft, provides the basic guidance for management of federal aviation programs and for travel on government aircraft."

2.6.3 National Interagency Aviation Committee (NIAC)

The Committee is established to serve as a body of resident aviation experts, assisting NWCG with realizing opportunities for enhanced safety, effectiveness, and efficiency in aviation related operations, procedures, programs and coordination. [NIAC](#) is chartered under the Equipment and Technology Branch of NWCG.

Committee membership will reflect a mix of people who are knowledgeable in the subject area and who represent NWCG member agencies and organizations, including representation from Department of Interior (DOI) Office of Aviation Services (OAS).

The WO Branch Chiefs, Aviation Operations and Pilot Standardization are designated by the WO Assistant Director, Aviation as Forest Service representatives to NIAC.

NIAC Sub Committees include:

- Interagency Aerial Supervision Subcommittee
- Interagency Airspace Subcommittee
- Interagency Airtanker Base Operations Subcommittee
- Interagency Airtanker Board (IAB)
- Interagency Aviation Training Subcommittee (IAT)
- Interagency SEAT Board
- Smokejumper Aircraft Screening and Evaluation Board (SASEB)
- Interagency Helicopter Operations Subcommittee (IHOps)
 - o Aerial Capture Eradication and Tagging Animals Unit (ACETA)
 - o Interagency Aerial Ignition Unit

- Helitorch Subunit
- o Interagency Helicopter Operations Guide Unit (IHOG)
- o Interagency Helicopter Rappel Unit
 - Rappel Equipment Subunit
- o Helicopter Short Haul Unit

2.7 Program Overview

The Forest Service aviation program is comprised of national, regional and forest organizations.

All agency-owned and operated (WCF) aircraft are registered to the Washington Office and hosted by regions or the national office. The WO is the lead for most of the contracted aircraft used by the interagency wildland firefighting community including Large Airtankers (LATs), smokejumper aircraft, Type I and II helicopters, Aerial Supervision Module (ASM) and lead plane aircraft, infrared (IR) airplanes, aerial supervision aircraft, water scoopers and other miscellaneous aircraft. These aircraft are acquired for the primary use of the Forest Service; however, they are available for use by other federal, state, and local partners and cooperators as specified in agency policy, agreements and procedures.

Regions and Forests also contract for aircraft including, but not limited to, Forest Health Protection (FHP) airplanes, Type III helicopters, aerial tactical airplanes, and other fire and resource management aircraft.

The majority of Forest Service aviation use is for wildland fire management and support. Other aviation uses include forest health protection, wildlife survey, law enforcement, and projects related to natural resource management and administrative flights.

Regional Supplement

No Supplement

Forest Supplement:

1. Call-When-Needed Aircraft: See Call When Needed Aircraft Reference Binder, located in CPC and CRC Dispatches, updated annually by the CPC and CRC Aviation Dispatchers.
2. Wyoming State Contract Aircraft: An exclusive use type 3 contract helicopter is based at the Duncan Helibase for 120 days from approximately early June through September.

All aircraft referenced above are ordered through CPC and CRC.

3.0 Administration

3.1 General

The administration section establishes management responsibilities, policies, and procedures for the administration of the aviation program in the Forest Service.

Regional Supplement

No Supplement

Forest Supplement

No Supplement.

3.2 Reporting and Documentation Requirements

The Forest Service is responsible for providing for the following:

- Responses to Department of Agriculture [Office of Inspector General \(OIG\)](#) audits.
- Responses to Congressional inquiries.
- Meeting the requirement of the [Federal Requirement for Federal Aviation for Interactive Reporting System \(FAIRS\)](#).
- Approving and documenting senior executive travel in agency and agency-procured aircraft as required by [OMB Circular A-126](#).
- Retaining contract management records for 6.5 years.
- Complying as applicable with existing records holds and freezes for all records.
- Responding to [Freedom of Information Act](#) (FOIA) requests – All aviation records are subject to Freedom of Information Requests.

Regional Supplement

No Supplement

Forest Supplement

No Supplement.

3.3 Aviation Plans

All Aviation Management Plans must be approved by the appropriate line officer ([FSM 5711.04](#)).

Regional Supplement:

Rocky Mountain Regional Supplement: Each Forest shall supplement this plan with forest level Aviation Plans containing more specific details relating to aviation operations conducted on or for the forest. The Forest Aviation Plan, and the Forest Aircraft Incident/Accident Response Guide, shall be reviewed and updated annually.

Project planning should include the use of the End-Product Exhibit matrix (FSM 5711.21) to determine if a project should be managed as an end product contract or flight services contract. If it is determined that a project is going to be contracted as an End Product, a Project Aviation Safety Plan (PASP) is not required.

3.3.1 National Aviation Safety and Management Plan (NASMP)

The NASMP provides information regarding Forest Service aviation organization, responsibilities, administrative procedures, and policy and is intended to serve as an umbrella document that Regional and Forest Aviation Plans tier from. The Assistant Director, Aviation will maintain a National Aviation Safety and Management Plan ([FSM 5704.21](#)). The NASMP is approved by the Director, Fire and Aviation, annually.

3.3.2 Regional, Northeast Area or Station Aviation Management Plans (RAMP)

Each region, the Northeast Area (NA), and Stations shall publish a RAMP that implements national policy and describes protocols specific to each regional aviation program. The RAMP serves as an umbrella document for Forest Aviation Management Plans. The regional directors shall supplement and annually update the aviation management goals, objectives, programs and activities, and strategic direction at each organizational level ([FSM 5711.04b](#)). The RAMP is approved by Regional Foresters annually.

3.3.3 Regional and Northeast Area and Station Homeland Security Response Plan

Each Region, NA, and Station must develop a Homeland Security Response Plan that details the security actions that each Region, NA, and Station will implement, based upon the Homeland Security threat level. The Regional, NA, or Station Homeland Security Response Plan must be reviewed by the Fire and Aviation Management staff, HQ Washington Office ([FSH 5709.16, Chapter 60, 52.1](#)). The Regional, NA, and Station Homeland Security Response Plans are approved by the Regional Forester.

3.3.4 Regional and Northeast Area Aviation Safety Plan

The RASM has the responsibility to prepare the Regional Aviation Safety Plan ([FSM 5720.48d](#)). The Regional, NA Aviation Safety Plan is approved by the Regional Forester/ Director NA annually. Regional FHP unit aviation officers and Station Aviation Officers have the responsibility to draft FHP/Station Aviation Safety Plans that either tier to the RAMP or appear as an appendix within the RAMP.

3.3.5 Regional and Northeast Area Aviation Mishap Response Plan

Regional Foresters and/or Area Director have responsibility to ensure that every Forest Service unit that utilizes aircraft develops and annually updates, an aviation mishap response plan ([FSM 5720.48a](#)). The Regional and NA Aviation Mishap Response Plan is approved by the Regional Forester/ Director NA.

3.3.6 Forest and Station Aviation Management Plans (FAMP/ SAMP)

Forests and Stations are required to maintain and update unit aviation plans annually, which implement national and regional policy and establish local procedures and protocol. The Forest Service and Station Directors shall supplement and update annually the aviation management goals, objectives, programs and activities, and strategic direction at each organizational level ([FSM 5711.04b](#)). The FAMP / SAMP is approved by the appropriate Forest Supervisor/ Station Director annually.

3.3.7 Facility Homeland Security Response Plan

Each aviation facility must develop a Facility Homeland Security Response Plan that is specific to that aviation facility and details the security actions the facility will take for each Homeland Security threat level. The Facilities Homeland Security Response Plan is approved by the appropriate Forest Supervisor annually.

Rocky Mountain Regional Supplement:

Each Forest shall have a forest level Aviation Security and Response Plan for each permanent aviation facility. Aviation Security and Response Plans shall be updated and submitted for review by the RAO and RASM, and signed by the Forest Supervisor. Aviation facility Self Assessments are required at a minimum once every five (5) years and submitted to the Regional Aviation Officer.

3.3.8 Forest and Station Aviation Mishap Response Plan

Forest Supervisors, Station Directors, district rangers, and other officials designated with line authority have responsibility to ensure that every Forest Service unit that utilizes aircraft develops and annually updates, an aviation mishap response plan ([FSM 5720.48a](#)).

3.3.9 Project Aviation Safety Plans (PASP)

A PASP is submitted independent of a Forest, NA, or Station Aviation Management Plan. A PASP shall be developed and approved as required in the [FSM 5711.04](#) and [FSM 5711.1](#) for all non-emergency aviation projects.

Forest Supplement: A Project Aviation Safety Plan serves many purposes besides justifying and authorizing a flight to occur. It should be utilized as a documented risk assessment and risk management plan as well as a briefing tool for pilots, aircrew, supervisors, dispatch, aviation managers, and line officers. It is the responsibility of the Project Manager and/or Flight Manager to write an accurate and thorough PASP, and the responsibility of the Forest Aviation Officer to provide guidance, technical expertise, and policy interpretation to assist the manager in developing the Plan.

3.3.10 Operations Plans

Operations Plans shall be developed and updated annually by the program managers. Specific Operations Plans will be developed for National Programs. Regions may supplement national operations plans as necessary. Aviation facility plans will be developed for national, regional, and forest aviation bases.

National Aviation Operations Plans will be approved by the Assistant Director, Aviation. Regional Aviation Operations Plans will be approved by RAOs. Forest/Unit Aviation Operations Plans will be approved by Forest Fire Management Officers or Fire Staff Officers.

Specific Operational Plans will be developed for national, regional or local permanent and temporary:

Airbase Operations

Helicopter operations (Exclusive Use)

- Helitack
- Rappel
- Tank/Bucket operations
- External Loads
- Night Air Operations
- Emergency Medical Short-haul

Smokejumper operations

Airtanker operations

- Very Large Airtanker
- Large Airtanker
- Scoopers
- Single Engine Airtankers (SEATs)

Scooper operations

Aerial Supervision

Light Fixed Wing operations

Law Enforcement & Investigation operations

Forest Health Protection (FHP)

Research

Natural Resource management and protection

These plans at a minimum should include:

- Authority
- Aircraft
- Aircraft Quantity

- Funding
- Contracts
- Sustainment
- Mission Requirements
- Facilities
- SMS
- Staffing

Operations Plans shall be approved by the appropriate line officer ([FSM 5711.04](#)).

Regional Supplement

Airbase Operations:

JEFFCO Tanker Base Operations Plan
Durango Tanker Base Operations Plan
Rapid City Tanker Base Operations Plan
Pueblo Tanker Reload Base Operations Plan

Helitack/ (Exclusive Use)

Monument Helicopter Operations Plan
Rifle Helicopter Operations Plan
Durango Helicopter Operations Plan
Northern Colorado Helicopter Operations Plan
JEFFCO Helicopter Operations Plan
Custer Helicopter Operations Plan

Forest Supplement:

The following materials are accessed through CPC and CRC or available on-line via the CRC website: http://gacc.nifc.gov/rmcc/dispatch_centers/r2crc

CPC website: http://gacc.nifc.gov/rmcc/dispatch_centers/r2cpc/inde

Aviation Incident/Accident Response Plan
Project Aviation Safety Plan (*SAMPLE*)
Forest Health Aviation Operations Plan
CPC & CRC Area Aviation Hazard Map (GIS Based)
Aviation Risk Assessment Worksheet
CPC & CRC Aviation Directories
Airport Digrams/Information (CPC and CRC Areas)
MBRTB Aviation Plan
CPC and CRC Area Personnel Authorized to order Aircraft
R2 Aviation Management and Safety Plan
FAA Temporary Flight Restriction
GACC Tactical Reports: RMC
Flight Hazard Map CPC and CRC
Flight Following / Navigation Tools:

Automated Flight Following (AFF)
Sunrise/Sunset Tables
(NOTAMs) Notice to Airman
FlightPlan
Coordinates (X-Y Data)
Airport Identifiers
Aviation Guides/Manuals:
Aviation Users Pocket Guide
Aviation Weather Training
Standard Aviation Transport of HazMats Guide
BLM Aviation Library
USFS Aviation Library
FSH 5709.16 Flight Operations Handbook
FSH 5700 Aviation Management Handbook
SAFECOM
Interagency Airspace Coordination Guide
NTSB Accident Reports
Aviation Procurement:
OAS Aircraft Source Lists
OAS DOI CWN Program Contract Information
Standard NIFC Aircraft Contracts
DOI Aviation Management
Office of Aircraft Services – Handbooks, Guides and Publications:
<http://oas.doi.gov/library/handbooks.htm>

3.4 Aircrew Orientation Briefing Package

All Forests that host permanent aviation bases shall create an Aircrew / Pilot Orientation Briefing Package. The Aircrew / Pilot Orientation Briefing Package serves as a source of information to provide visiting pilots, aircrews, and Incident Management Teams. Elements of the briefing package should include:

- Leader's intent
- Local frequencies and their use (to include map if available)
- Contacts, name title, phone (may include vendor information)
- Local sunrise/sunset charts
- Local airport information (to include a map)
- Local lodging information
- Local water sources/dip sites (name, latitude and longitude, ownership, hazards, elevation, contact information).
- Helispots (name, latitude and longitude, map or aerial photo)
- Map depicting MTRs and Special Use Airspace

- IA size-up card
- Local medical evacuation information (including nearest burn and trauma centers)
- Local hazards (map and description)
- Airport crash rescue procedures
- Map and description of jettison areas
- Local flight following procedures (AFF and/or radio contact)
- Aviation Operations Plan
- Special considerations (e.g., retardant avoidance areas)

Regional Supplement

No Supplement.

Forest Supplement:

Flight hazard maps are available and located in CPC and CRC Dispatch Centers (aircraft desk). Maps are updated annually or as significant changes occur.

The pilot will study local area maps and become familiar with hazards to flight such as towers, power lines, cables, mountainous terrain, and military low level training routes. District Fire Duty Officers (or Forest Duty Officer brief incoming / visiting aviation resources using the standard CPC&CRC-Zone briefing package, containing maps, organization charts, radio frequency lists, pocket cards and other pertinent fire operations information.

The pilot is responsible for:

1. The safe accomplishment of the mission, security and condition of the aircraft and cargo, and the safety of the passengers.
2. Observing policies concerning operation of the aircraft, authorized passengers, and mission requirements.
3. Postponing, changing, or cancelling flights when he/she believes existing or impending conditions make them unsafe.

Forest Service management has mission control and authority to order the mission, delay or cancel the flight as deemed necessary. The pilot has the last say as to whether the mission can be accomplished safely. This is a team approach. The desired result is safe mission accomplishment.

Employees have the authority and responsibility to cancel or delay flight operations if they deem there are unsafe conditions or situations.

3.5 Land Use Policy for Aviation Activities

The regulation of aviation activities on or over Forest Service managed lands is solely dependent on Land Management Plans (LMP) direction and any applicable [Federal Aviation Regulations \(14 CFR\)](#).

Temporary aviation operations on Forest Service lands may be restricted due to LMP direction. FAOs should coordinate with resource managers to identify areas of restriction when developing Operating Plans, Forest Aviation Management Plans, and [PASP](#). When identified by resource managers, FAOs should implement any invasive species control measures for aviation activities. FAOs also coordinate reporting of any fire chemical aerial application in or near waterways.

Regional Supplement

Rocky Mountain Regional Supplement: In addition, the Region has management documentation for MAFFS training; Forest Letters of Authorization to practice drops on specific forest lands. Also, prior to utilizing any water source for fire application or projects, ensure Forest Staff have been contacted to determine if aquatic invasive species occupy the water source and what process is in place (sterilizing buckets, etc...) to prevent spreading the species to other water sources (See 5.14).

Forest Supplement

No Supplement

3.6 Budget

Budgeting is completed on a three year cycle. Out year budget requests are submitted to Congress in the President's Budget in February, six months prior to the fiscal year for which they were submitted. The budget request is then vetted separately through the Department of Agriculture and [Office of Management and Budget \(OMB\)](#). Finally, it is then aggregated with all other agency and program requests into the President's Proposed Budget. The current year budget is finalized after congress passes an Appropriations Bill.

WO Branch Chief's shall develop OTT program/project budget proposals in early 2nd Quarter for submission to the BC, Aviation Business Operations upon request.

Aviation programs and aviation contracts funded by the Washington Office shall be approved for commitment and obligation ([FS 6500-224](#)) ONLY by the Assistant Director, Planning and Budget. Aviation programs and aviation contracts that require requests for contract action (FS 6300-4) shall be approved by one of WO FAM Deputy Directors.

Regional Supplement

No Supplement

Forest Supplement

No Supplement.

3.7 Contracting

Reference the FAM Aviation Contracting Guide for contracting process and procedures.

Aircraft are acquired through different types of contracts, Exclusive-Use (Ex-Use), Call-When-Needed (CWN), Indefinite Delivery/Indefinite Quantities (IDIQ), or End Product.

Exclusive-use contracts are generally used when the agency has a definite aircraft need for a specific period of time. Exclusive-use aircraft are guaranteed a minimum amount of use through a Mandatory Available Period (MAP). Daily availability is usually cheaper with exclusive-use contracts since the vendor is guaranteed a minimum amount of work.

Call-When-Needed contracts are a way for the agency to have ready access to a pool of aviation assets that meet a minimum standard, usually used for non-recurring missions or during periods of surge activity often related to wildland fire suppression. The disadvantages are that the aircraft may not be available, the agency personnel and vendor personnel don't have the same opportunity for crew cohesion that an exclusive-use crew has, and that daily availability rates are generally higher since the vendor has no guaranteed work.

IDIQ and End Product contracts are often used for projects such as aerial application of pesticides or other types of work where: 1) the precise limits of the treatment area or quantity of material is uncertain or the contract may span multiple years (IDIQ) or 2) only the desired outcome is specified and/or specific area of treatment is known (End Product). Refer to Section 3.10 for End Product Contracts.

Regional Supplement

No Supplement.

Forest Supplement:

1. CPC-zone Contract Aircraft; An exclusive use type 3 contract helicopter is based at Duncan Helibase for 120 days from approximately early June through September.
2. The Colorado Division of Fire Prevention and Control (DFPC) and BLM have single-engine light airtankers on contract. These aircraft specifications vary annually. Contact CPC or CRC for current information. CPC and CRC will maintain a copy of the SEAT Operations Plan. For specific SEAT information refer to Rocky Mountain Mob Guide, Chapter 80, Section 83.31.
3. Call-When-Needed Aircraft: See Call When Needed Aircraft Reference Binder, located in CPC and CRC Dispatches, updated annually by the CPC and CRC Aviation Dispatchers. All aircraft referenced above are ordered through CPC or CRC.

3.8 Aircraft Contract Start/Modification/Extension

Aircraft contract start dates and MAP are a coordinated decision between the National Office and Regions.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement

3.9 Contractor Performance

All CWN and exclusive-use contractor performance will be documented in accordance with [FSH 6309.11](#). Contract Officer Technical Representatives are required to complete contractor evaluations annually using the [Contractor Performance Assessment Reporting System \(CPARS\)](#). It should be noted that [SAFECOMs](#) are not used to determine contract awards.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

3.10 End Product Contracts

An end-product contract is intended to efficiently and effectively accomplish certain projects with no internal operational controls or specifications from the Forest Service aviation personnel. Certain aviation operations, such as aerial application of herbicides and insecticides, seed, fertilizer, prescribed burn projects, and some Burned Area Emergency Rehabilitation (BAER) projects may be administered in a more efficient and less expensive manner if contracted on an end-product basis, instead of through a Forest Service flight services contract. Refer to [FSM 5711.2](#) for more information on end-product contracts.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement

3.11 Aircraft Acquisition

Aircraft (including UAS) transfer, acquisition, and lease shall be approved by the Washington Office Director, Fire and Aviation Management (FAM).

The Washington Office Aviation Management shall initiate all aircraft transfers, acquisitions, and leases using an Office of Management and Budget, OMB Circular A-11, Business Case (Aviation Business Case).

An Integrated Project Team will be designated to develop Aviation Business Cases.

Aviation Business Cases will be recommended by the Director, FAM and approved by the Deputy Chief, State and Private Forestry.

- a. Additional review and approvals may be required by the agency and the Department of Agriculture prior to submission to the OMB.

Aviation Business Cases for all Forest Service aircraft must be formally revalidated every 5 years.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

3.12 Cooperator Aircraft

Cooperative aircraft operations and partnerships are encouraged in order to increase efficiency and enhance procedure standardization. The Northeastern Area, Regional Offices, and the States shall establish cooperative structures to increase capability and avoid duplication and conflicting procedures.

Use of state/local government, military, or other federal agency aircraft by Forest Service employees will require prior inspection and approval by Forest Service or OAS, usually in the form of a Cooperator Letter of Approval. Proposed use of these aircraft should be requested through the FAO to the RAO. Any employee wishing to ride on cooperator aircraft or work around a cooperator aircraft operation must consult their respective aviation manager.

Cooperator agreements for all aviation services provided to the Forest Service by other agencies and cooperators must specify levels of operational standards and safety comparable to those required of agency or contractor operations ([FSM 5710.35](#)).

When the Forest Service utilizes other governmental agency aircraft for non-fire missions, an agreement must be developed and approved to address at a minimum:

- Payment
- Operational Control
- Aircraft Management
- Performance Planning
- Mission Profile

- Landing Zones (When Applicable)
- Agreement Expiration Date
- [Public /Civil Aircraft Utilization Dispatch Work Sheet \(Public Law 103-411\)](#) (When Applicable)

Fire Missions:

- Create a resource order

Non-Fire Missions:

- Completed cost analysis
- Complete Project Aviation Safety Plan (PASP)

Military and cooperator aircraft approval shall meet the requirements in the [FSM 5713.43](#). National Guard pilots must meet the requirements identified in FSM 5712.34, 2.

See Appendix 10.1 for Sample Letter of Cooperator Approval. See Appendix 10.2 for Cooperator Approval Guide.

Regional Supplement

Rocky Mountain Regional Supplement: Cooperator approval is issued annually for:
National Guard assets (specific to state)

Wyoming Department of Transportation

Wyoming Department of Forestry

South Dakota Department of Forestry

Colorado Department of Public Safety

Forest Supplement:

The Colorado Division of Fire Prevention and Control (DFPC) and BLM have single-engine light airtankers on contract. These aircraft specifications vary annually. Contact CPC or CRC for current information. CPC and CRC will maintain a current copy of the SEAT Operations Plan. For specific SEAT information refer to the Rocky Mountain Mob Guide, Chapter 80, Section 83.3.1.

Colorado National Guard

CONG Helicopters may operate on all-hazard and firefighting missions within the CRC Zone and on the Routt. These aircraft may not be mobilized via the Interagency Dispatch System and would likely be authorized by local entities or Counties. Communication with CONG aircraft still utilizes standard VHF Air to Air and Air to Ground frequencies, as identified in the 2016 RMA A/A and A/G Aviation frequency map, referenced in the Supplemental Documents and references.

Wyoming National Guard

Military Department participation by state, county, local or federal agency officials with wildland fire suppression responsibility, shall make their request for assistance to the State Forestry, and State Forestry will forward the request to the Director of the Homeland Security or his/her designee. The Director of the Homeland Security, or his or her designee,

will ensure that the requestor, if other than State Forestry, has agreed to make payment to reimburse for services and equipment in accordance with the agreement.

3.13 Aircraft Administrative Use and Reporting

Utilize the Forest Service [Administrative Use of Aircraft Desk Guide](#) to provide guidance and clarify the administrative use of aircraft.

The [USDA Property Management Regulation \(PMR\) 110-33](#) supplements Federal Management Regulation 102-33 Management of Government Aircraft. Both documents are agency wide policy for the use of Government aircraft to accomplish official business. In coordination with the [Office of Management and Budget Circular A-126](#), they restrict the operation of government aircraft to defined official purposes: restricting travel on such aircraft, requiring special review of such travel on government aircraft by senior officials or non-federal travelers under certain circumstances, and codifies policies for reimbursement for the use of government aircraft. The transportation of passengers or cargo on Forest Service aircraft shall be limited in accordance with these Regulations.

[FSH 6509.33 301 Federal Travel Regulation](#) requires that all employees have a travel authorization for any official travel. Each instance of administrative use of a Forest Service aircraft to transport passengers must be justified, documented, and approved, and as such, will comply with the requirements contained in [FSM 5711.3](#). All documents pertaining to these flights must be maintained by Dispatch and on file for two years.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

3.14 Dispatching

3.14.1 General

All flights (other than scheduled commercial air carrier flights) will be arranged by qualified aviation dispatchers and/or appropriate aviation manager and approved at the appropriate management level.

3.14.2 Administrative Use Flight Requests

Reference the Forest Service [Administrative Use of Aircraft Desk Reference](#).

3.14.3 Mission Flight Requests

All flight requests for mission flights shall follow the [National Mob Guide, Chapter 20](#).

3.14.4 Non-Incident Related Flight Requests

Follow local procedures.

Regional Supplement

No Supplement.

Forest Supplement:

1. All Forest Service aircraft flights or contract aircraft will be scheduled through Casper or Craig Dispatches. Commercial airline reservations are the only exception to this policy. Aircraft use should be coordinated with the Forest Aviation Officer to ensure the aircraft meet the mission needs and a Project Aviation Safety Plan is in place as appropriate.
2. All flights should be scheduled 24 hours or more in advance, if possible.
3. Information Needed For ALL Flights
 - a. Names and weights of passengers
 - b. Weight of cargo and/or luggage
 - c. Trip information
 - d. Management code for charges
4. Additional Scheduling Considerations
 - a. Fixed Wing Flights
 - i. If the flight is an "on-Forest" flight, the Dispatch Offices will be monitoring the flight plan until the aircraft has landed at final destination. For early or late flights, this may require dispatcher overtime which the benefiting function will be expected to pay.
 - ii. Once a flight is scheduled with the operator for a certain time, we are in effect putting them on standby at the ordered time. If we are not ready to go at the ordered time, the operator is entitled to standby pay until we are ready to fly. Every effort should be made to meet the flight times as scheduled. If a flight is cancelled at the last minute, we are obligated to pay what the contract dictates.
 - b. Helicopter Flights
 - i. If the flight is scheduled outside of the standard daily availability hours of 0900 – 1800, the benefitting function may be required to pay additional charges for aircraft extended stand-by and dispatch/helitack overtime.
 - ii. If it is logistically and financially beneficial, the helicopters fuel truck may be moved to support the scheduled mission. Fuel truck mileage would be charged to the benefitting function.

3.15 Flight Use Reporting

3.15.1 Forest Service Aviation Business System (ABS) and Aviation Management Information Systems (AMIS)

Flight time, daily availability, and other authorized charges or deductions shall be recorded on a Flight Use Report in [Aviation Business System \(ABS\)](#) ([FSM 5717.1](#)). The data shall be entered and reviewed by the Government and the Contractor's Representative.

Working Capital Fund (WCF) aircraft use is entered into the [Aviation Management Information System \(AMIS\)](#) or [Aviation Business System \(ABS\)](#) as applicable.

For Administrative Use flight reporting reference the Forest Service [Administrative Use of Aircraft Desk Reference](#).

3.15.2 Office of Aviation Services (OAS) Aviation Management Systems (AMS)

All Department of Interior (DOI) contracted aircraft will utilize the OAS Aviation Management System (AMS) web based flight reporting system. The AMS application will become available at <http://ams.nbc.gov>.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

3.16 Coding and Funding of Contract, Fleet, Severity Aircraft Availability

RESERVED

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

3.17 Working Capital Fund (WCF) (Fleet Aircraft)

All agency-owned and operated WCF aircraft are FAA registered to USDA Forest Service, Boise Idaho. WCF aircraft are hosted by regions, but national optimal use is the primary goal to increase use and lower overall costs.

The purpose of the WCF is to provide a sustainable funding mechanism for the operation and replacement of agency owned aircraft that support fire suppression and non-fire aviation activities. WCF aircraft are subject to the same regulations regarding capitalization, de-capitalization, and depreciation as other WCF non-expendable personal property.

The Working Capital Fund Accounting Operations Handbook, [FSH 6509.11f](#) provides greater detail on how to accomplish day-to-day management, operations, and tasks, and what the WCF Aircraft User Guide will provide more aircraft specific information. Additionally, for more information regarding WCF fleet aircraft, refer to FSM 5713.1.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

3.18 Federal Excess Personal Property (FEPP)

The FEPP program refers to Forest Service owned property that is on loan to State Foresters for the purpose of wildland and rural firefighting. Once acquired by the Forest Service, it is loaned to State and local cooperators for firefighting purposes. Approximately 70% of FEPP is sub-loaned to local fire departments. For policy guidance regarding FEPP, refer to [FSH 3109.12](#) (aviation specific [FSH 3109.12, Chapter 40](#)), the [FEPP Desk Guide, Chapter 40](#).

The RAO may:

- Review all State aviation operations plans for compliance with Forest Service and State excess property direction.
- Help establish minimum standards for pilot qualifications and maintenance for excess property aircraft.
- Coordinate and/or establish an approved source of parts for excess property aircraft, such as the Department of Defense (DoD).
- Review State security risk assessments and mitigation plans.
- Review all acquisition documents prior to transfer of aircraft.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

3.19 Program Reviews

Program reviews will be conducted jointly by Regions and the WO for regional and national office programs. The Aviation Management Review and Quality Assurance Guide and [FSM 1410](#) will be used for these reviews.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

3.20 New Project/Program/Issue Requests

A project/program/issue may include the following examples:

- New or changed aviation equipment, e.g., aircraft, parachute system, etc.
- New contractor contract change, e.g., LFS Helicopter, etc.
- New agreement or MOUs.
- New process or changed process, e.g., rappel standardization, pilot standardization, etc.
- Deviation from standards, e.g., LEI exemption, Wire Strike Protection System, etc.
- New or changed policy, e.g., doctrinal policy changes, 100 hr, turbine single engine, etc.
- New or changed procedure, e.g., rappel procedures.

The proposal is submitted to the WO Aviation Division through any of the WO Aviation Branch Chiefs or Assistant Director, Aviation. The proposal should be formatted in the Project/Program/Issue Proposal template (10.4).

The Aviation Division will socialize the proposal within the division and to the RAOs and RASMs for a minimum of 30 days with a due date for discussion.

The proponent may be asked to brief the National Aviation Team (NAT). The NAT will:

- Discuss, ask questions and come to a decision.
- The decision may be to develop or gather more information, bring the proposal back to a later meeting for a Go/No Go decision or make a Go/ No Go decision.
- A No Go decision will end the proposal.
- Notify the proponent of the decision.

The proposal is briefed by NAT staff or the proponent to the Regional Aviation Officer and Regional Aviation Safety Manager Council. The councils will:

- Discuss, ask questions and come to a decision.
- The decision may be to develop or gather more information, bring the proposal back to a later meeting for a Go/No Go decision or make a Go/ No Go decision.
- A No Go decision will end the proposal.
- Notify the proponent of the decision.
- Depending on the scope a project team may be formed by the NAT, RAO and RASMs at this step.

Depending on the scope, the proposal may be briefed to the WO Director, Fire and Aviation Management (FAM) and the Regional Fire Directors (RFD). The Director FAM and RFDs may:

- Discuss, ask questions and come to a decision.

- The decision may be to develop or gather more information, bring the proposal back to a later meeting for a Go/No Go decision or make a Go/ No Go decision.
- A No Go decision will end the proposal.
- Go decision will include the NAT, RAOs, and RASMs forming a Project Team.
- Notify the proponent of the decision.

If a Project Team is formed it may be chartered by the Director FAM depending on the scope of the proposal. The Project Team will include Subject Matter Experts (SMEs) necessary to complete a Project Implementation Plan. SMEs may include:

- Aviation Operations- WO and/or Regional
- Aviation Safety- WO and/or Regional
- Airworthiness- WO and/or Regional
- WO Pilot Standardization
- WO Aviation Business
- FAM Budget
- AQM
- Fire Operations- WO and/or Regional
- Project proponent

A Project Implementation Plan outlining the steps to plan and implement a project may include the following components:


- Business Case- if required
- Requirements Analysis- if required
- Process Change Plan- if required
- Acquisition Plan- if required.
- Communication strategy- if necessary
- Official documentation- required.
- Action Plan- required
- Quality Assurance Plan- required
- Risk Assessment (safety impact analysis, business, and financial) - a safety impact analysis is required for any aviation operations related project.

The Project will require decision approval from the Director, FAM at a minimum. Depending on the scope it may require WO Line Officer approval – Chief or Deputy Chief prior to implementation and operations.

- The decision may be a Go/ No Go decision.
- A No Go decision will end the proposal.

Implement Project as defined by the Project Implementation Plan.

AVIATION Project/Program/Issue Process



4.0 Aviation Safety Management Systems

4.1 General

Safety is the state in which the possibility of harm to persons or property damage is reduced to, and maintained at or below, an acceptable level through continuing processes of hazard identification and risk management.

It (safety) must be a core value of our culture, ingrained in the character of every employee. As an agency, we must endeavor to place the safety of our co-workers and ourselves above all else. This obligation requires integrity, trust, and leadership: the integrity of every employee to adhere to Agency standards, the trust in our leaders to place safety as the first priority, and leadership at all levels to provide a culture that encourages employees to communicate unsafe conditions, policies, or acts that could lead to accidents without fear of reprisal (Chief's Safety Policy, August 27, 2009).

This commitment to safety will be reflected as doctrine within aviation safety management. The adoption of SMS continues the application of Forest Service Doctrine. SMS is not a safety program; rather it is a system which aligns, assesses, and organizes an organization's existing safety processes around the concept of system safety. SMS incorporates a proactive approach using hazard identification and risk management to achieve accident prevention.

Regional Supplement

Rocky Mountain Regional Supplement: The Regional Aviation Safety Manager (RASM) for R2 promotes SMS throughout the region, to align the existing regional safety approach with the SMS organizational template. Where gaps are identified, every effort will be made to adopt or create a process to fulfill the need.

Forest Supplement: The goal is to develop a safety culture that achieves and maintains a zero accident rate. A highly successful safety culture understands that every person in the organization accepts that safety is a conscious and ongoing mindset as opposed to simply a box to be checked. We understand that safety is a dynamic non-event. Consequently, we need to maintain the capability to continuously seek out and eliminate latent defects within our systems and culture. By being proactive in this area we eliminate potential causal factors that could lead to future accidents. Safety policy as such directs the actions of personnel conducting Safety Management System (SMS) processes. SMS is a balance of using regulations, process and principles safely to achieve a safety culture of high reliability.

4.2 Safety Management Systems (SMS)

SMS offers a complimentary solution based on structuring the existing rules and continuous review of the efficacy of those rules. Thus, the system ensures that guidance and regulation meet the original intent and that they have no unforeseen adverse side effects. SMS can be

considered as functioning like a filing system, which structures the organization's existing safety initiatives and provides a review process for how well those initiatives function. SMS is divided into four components: Policy, Risk Management, Assurance, and Promotion.

Regional Supplement

Rocky Mountain Regional Supplement: The RASM has adopted this business model for safety management and will continue to organize the Regional aviation safety culture around the four fundamental categories listed above and addressed in detail in this plan.

Forest Supplement

No Supplement.

4.3 Policy

SMS is a critical element of management responsibility in determining the agency's safety policy and SMS also defines how the agency intends to manage safety as an organizational core function.

- Policy guides aviation safety doctrine, philosophy, principles and practices.
- Policy provides framework for aviation plans ([Refer to 3.3 Aviation Plans](#)).
- Policy assists in the development of local standard operating procedures.
- Policy will foster and promote doctrinal principles and safety management systems within the Regions.

Regional Supplement

No Supplement.

Forest Supplement: Every line officer, manager, supervisor, and employee is expected to manage risk exposure by identifying and abating hazards, refusing to accept unnecessary risk, and making risk-related decisions at the appropriate level.

4.4 Risk Management

To provide structure to control risk in operations, a formal system of hazard identification and safety risk management is essential. The risk management process is designed to manage risk to acceptable levels by the identification, assessment, and prioritization of risks followed by coordinated application of resources to minimize, monitor, and control the probability and/or impact of undesirable events.

The agency:

- Will define a process for risk acceptance that defines acceptable and unacceptable levels of safety risk; establishes descriptions for severity levels, and likelihood levels.

- Will define specific levels of management that can make safety risk acceptance decisions.
- Will define acceptable risk for hazards that will exist in the short-term while safety risk control/mitigation plans are developed and executed.
- Will establish feedback loops between assurance functions to evaluate the effectiveness of safety risk controls.

There are necessary steps in the Risk Management Process.

- Define Objectives (i.e., Strategic program analysis, change management, accident action plan, other).
- System Descriptions: Identify each system-component that contributes to the mission.

Risk assessment is a step in the risk management process. Risk assessment is the determination of hazards associated with a situation or activity.

There are necessary steps in the risk assessment process as outlined in the [FS Aviation Safety Management System Guide](#):

1. Define Objectives (i.e., System and task analysis).
2. System Descriptions: Identify each system – component that contributes to the mission. Consider change management in systems.
3. Hazard Identification: Brainstorm all possible failures, threats, and danger points.
4. Risk Analysis: Disassemble the hazard to identify outcomes, impacts of a hazardous event, and degree of exposure to risk. (Ask the question: If this hazard exists, then what happens?)
5. Risk Assessment: Evaluate the combined effects of the potential for injury, damage, fatality, etc. based upon severity and likelihood of an event occurring.
6. Decision Making: Determine mitigations needed, conduct cost/benefit analysis, develop an action plan, and implement controls. (This is risk management).
7. Validation of Control: Monitor controls and supervise operations to determine if controls are effective.

Risk assessment can be divided into three levels:

- *Time Critical*. This method of risk management is an “on-the-run” mental or verbal review of the situation using the Operational Risk Management (ORM) process without necessarily recording the information. Many of the skills used in this context are applicable to normal mission where deliberate risk management has occurred and crews must manage risk in a dynamic situation. Note that “time critical” does not mean “hasty” or “uninformed.”
- *Deliberate*. This ORM method is used with adequate planning time and may involve more than one system at its source. It involves a systems identification, hazard identification, risk assessment/analysis, consideration of control options and risk

decision making, implementation of controls, and supervision. This method will involve documentation of the process and actions. Examples of the tools in use for ORM are project aviation safety plans (PASP) and job hazard analysis (JHA).

- *Strategic/In-Depth.* Strategic Risk Management (SRM) is conducted at the highest levels of the organization and is typically applied to “systems of systems” type complexity, and requires more sophisticated techniques and professional reviews. A system or task description should completely explain the interactions among the software, hardware, environment, and live ware (e.g. SHEL model) that make up the system in sufficient detail to identify hazards and perform risk analysis.

This method should be used in instances where an entire program-wide assessment is deemed necessary; new technology or a change in process is being proposed; or when risks appear consistently high in a specific functional area. The strategic process produces a permanent record of findings and decisions used for long term planning, organizational decision-making and as authoritative training resources.

Note: The SRM process shall not preclude employees or contractors from taking interim immediate action to eliminate or mitigate existing safety risk when and where it is recognized that urgent action is required.

Regional Supplement

Rocky Mountain Regional Supplement: All aviation operations in the Region are analyzed using risk management/assessment principles. The emphasis will be on organizing information required by aviation and line managers to make informed decisions.

Information associated with the risk assessment process can be found at:

http://www.fs.fed.us/fire/av_safety/index.html

Forest Supplement

No Supplement.

4.5 Assurance

The safety assurance component involves processes for quality control, mishap investigation, and program reviews.

- Provide aviation safety oversight and review through active field presence and encourage a reporting culture between management and aviation.
- Monitor established standards and procedures and make corrections as needed.
- Monitor accident and incident trends, and implement appropriate prevention action.
- Report accidents and incidents with potential in accordance with the local emergency response plan.
- Conduct accident and incident investigations.
- Provide guidance, coordination, and monitoring of safety evaluations conducted by the Regional aviation staff and Forest/Unit Aviation Officers.

- Provide assistance in aviation activities to ensure best practices and procedures are understood.
- Promote and provide corrective action on [SAFECOM](#) reports, develop trend analysis and communicate lessons learned.
- Review aviation accident and incident reports and follow-up on action items.

QA techniques can be used to provide a structured process for achieving objectives. Forest Service efforts to date have concentrated on the development and implementation of comprehensive doctrine/policy revision, risk management processes, SMS promotion and training.

All effort should be made to focus corrective action as specifically as possible.

4.5.1 Aviation Safety and Assistance Team (ASAT)

During increased levels of wildland fire activity, an [Aviation Safety and Assistance Team](#) assures safety by providing (1) on-the-spot safety and technical assistance to aviation operations and (2) a conduit through which the field can communicate to Fire and Aviation Management. When conducting reviews, an ASAT team should follow direction as stated in:

- [Forest Service Aviation Safety Management System Guide](#)
- [FSM 1410](#)
- [Interagency Standards for Fire and Fire Aviation](#)

4.5.2 Aviation Safety Communiqué–SAFECOM

[SAFECOMs](#) fulfill the Aviation Mishap Information System (AMIS) requirements for aviation mishap reporting for the Forest Service. The SAFECOM reports any condition, observance, act, maintenance problem, or circumstance which has the potential to cause an aviation-related mishap (FSM 5720.46). The SAFECOM system is not intended for initiating punitive actions. Submitting a SAFECOM is not a substitute for “on-the-spot” correction(s) to a safety concern. It is a tool used to identify, document, track and correct safety related issues. This form is located on the SAFECOM web page, Interagency SAFECOM System. All personnel involved in aviation activities are encouraged to submit SAFECOMs when they feel such action is warranted.

4.5.3 Aircraft Accident Investigation Process

The [National Transportation Safety Board \(NTSB\)](#) is responsible for investigating all Forest Service aviation accidents. The Forest Service investigation team additionally conducts a review of Forest Service management and policy issues concurrent with the [NTSB](#) investigation utilizing the [Aircraft Accident Investigation Guide](#). The Coordinated Response Protocol (CRP) provides guidance for methodology. On completion of the learning review, the draft report will be reviewed by a Learning Review Board (LRB). The chairperson of the LRB forwards the Final Review Report, the Draft Safety Action Plan, and transmittal letter to the Chief’s office for approval.

Rocky Mountain Regional Supplement

The region maintains a Qualified Technical Investigator (QTI) program utilizing a task book concept to assure that QTI Trainees are equipped with the skills necessary to be an effective team member when mobilized. Lists of these individuals are maintained at the Regional Office.

4.5.4 Forest Service Strategic Risk Assessment Close-Out Process

Once the Strategic Risk Assessment has been completed, and the Assistant Director, Aviation and Assistant Director, Risk Management will deliver the final product to the Director, Fire and Aviation Management. The Director will provide direction for the risk assessment report to be reviewed. The Strategic Risk Assessment Close-out Working Group (SRACOW) will establish a Subject Matter Expert (SME) group of no more than five SMEs. The SME group will be given direction, parameters and timelines to review the report; identify mitigations that are one time effort and those that are on-going; assess individual mitigation's effectiveness and implementation cost and to develop a Quality Assurance (QA) checklist for long-range monitoring. The SME group will provide the SRACOW with these products in the established timelines. The SRACOW will review and either accepts the SME products or a back and forth coordination will begin to develop acceptable products. Once the SRACOW agrees on an acceptable QA checklist, the SRACOW will provide the Assistant Director, Aviation and Assistant Director, Risk Management with documentation on the completion of the project. The Assistant Directors will deliver the final product to the Director of Fire and Aviation for Deputy Chief, State and Private Forestry signature. Strategic Risk Assessments should be closed out and formally completed no later than one year from the date of tasking to the SRACOW. A bulleted representation of the process is below:

- Aviation Strategic Risk Assessment completed and assigned to the SRACOW with the expectation of being formally closed out within one year. (Director FAM)
- Develop SME Group and provide clear direction of assigned tasks. (SRACOW)
 - o Identify on-going and one time mitigations and assess their viability. (SME)
 - o Develop QA Checklist. (SME)
 - o Provide products back to SRACOW. (SME)
- Review, validate and either accept or return SME products. (SRACOW)
 - o Pass Back Process if needed.
- Once acceptable products are developed, formally complete and close out the risk assessment through documentation to the Assistant Director, Aviation and the Assistant Director, Risk Management. (SRACOW)

4.5.5 Project Aviation Safety Planning (PASP)

Accident prevention is paramount when planning individual aviation operations. PASPs are not required for incident aviation operations or point to point / administrative use flights.

Prior to commencing non-emergency aircraft operations, or aircraft operations outside the scope of an approved training program, the Regional Directors, Area Director, Forest Supervisors, and Station Directors shall develop and document a Project Aviation Plan including a PASP that will be reviewed by the RAO ([FSM 5711.04b](#)). An aviation safety manager is also recommended to be included in the review process. An appropriate line officer shall approve all Aviation Plans per direction in [FSM 5711.04](#).

Regional Supplement

Rocky Mountain Regional Supplement

PASP are a required element for the use of aviation resources outside of emergency operations.

PASP are critical to understanding project objectives, formalizing and mitigating risks, the acceptance thereof, and documenting personnel associated with the management of the effort.

Attached are three PASP templates which are now the USFS R2 standard associated with:

1. Helitorch operations
2. Plastic Sphere Dispensing
3. All other non-emergency aviation operations

PASP templates can be found at: <http://gacc.nifc.gov/rmcc/logistics/aviation/avforms.htm>

The following link should be consulted when developing the risk assessment portion of any PASP: http://www.fs.fed.us/fire/av_safety/risk_management/index.html

At a minimum, any Project Aviation Safety Plan must include the following 14 elements as stipulated in FSM 5711.1:

1. Supervision
2. Project Name and Objectives
3. Justification
4. Project Date(s)
5. Location
6. Projected Cost of Aviation Resources
7. Aircraft
8. Pilot(s)
9. Participants
10. Flight Following and Emergency Search and Rescue
11. Aerial Hazard Analysis
12. Protective Clothing/Equipment
13. Load Calculations and Weight-and-Balance
14. Risk/Hazard Assessment

Forest Supplement: The Forest Aviation Officer should be contacted to determine if a project aviation safety plan is needed. The Forest may utilize an end product contract approach on special projects. This means that the Forest Service contracts the entire job. End product contracts do not require a Project Aviation Safety Plan.

The following are examples of "special projects" that may require a Project Aviation Safety Plan.

1. Seeding
2. Spraying
3. Aerial Photography
4. Timber, soils, or other surveys
5. Game counts
6. Aerial ignition projects

Special project plans will meet the direction in FSM 5700, and appropriate manuals. PASPs shall be submitted a minimum of five working days prior to commencement of the project to allow sufficient time for review and routing.

PASPs should only be as detailed as necessary to ensure a safe operation. The plan should address the following items as well as others if needed:

1. Project description
2. Equipment and supplies
3. Organization and manpower
4. Communications/Flight Following
5. Helibase/airport locations
6. Job hazard analysis and needed safety precautions
7. Risk Assessment Worksheet
8. Safety equipment required
9. Safety Briefing.

4.6 Promotion

The organization must promote safety as a core value with practices that support a positive safety culture. Safety promotion can be accomplished through safety awards, education, and communication.

- Training
- Communication
- [Lessons Learned Website](#)
- Reporting and Feedback
- Safety and Mishap Information
- Safety Awards

The desired positive Safety Culture is informed, flexible, learning, just and is a reporting culture that captures employee operational knowledge and experience. The end result of this cultural shift is to achieve the status of a High Reliability Organization (HRO).

4.6.1 Human Factors

Human error is the single area, which if possible to eliminate or reduce, would provide the greatest benefit in accident prevention. Human behavior is so complex that it is unrealistic to think that human error can be eliminated. When fully implemented, SMS provides and promotes a positive Safety Culture which can reduce the impact of human error.

Rocky Mountain Regional Supplement

We strive to promote a safety culture or a positive culture which is predicated on the chart shown below.

4.6.2 Aviation Safety Awards Program

Aviation Safety Awards are a positive part of the aviation program and are provided to all levels with the Forest Service organization. National awards are given following the guidelines in [FSM 5724](#) for pilots and employees.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement

4.7 National Fire and Aviation Operations Alert System

RESERVED

5.0 Aviation Operations

5.1 General

It is the responsibility of each employee, cooperator, and contractor to conduct aviation operations that have been approved by management, planned properly, utilizes the correct equipment, use qualified personnel, and insure that the risk has been mitigated to an acceptable level.

Forest Service employees are often challenged by working in very high-risk and dynamic environments that are not always predictable. This responsibility can only be realized through participation of every employee.

Safety is the first priority and leadership at all levels must foster a culture that encourages employees to communicate unsafe conditions, policies, or acts that could lead to accidents without fear of reprisal.

The four components of SMS (Policy, Risk Management, Assurance, and Promotion) are critical to the success of safe operations.

Regional Supplement

No Supplement.

Forest Supplement:

Local topography and climate conditions present unique hazards and challenges for aviation users in Wyoming and Colorado. Parts of Wyoming and Colorado are known for the extreme wind conditions that persist for several days or weeks during certain times of the year. Afternoon thunderstorms develop frequently and suddenly during the summer months. The interaction of strong wind and mountain topography can create extreme hazards for all aircraft operations. Mission flights may be conducted at altitudes that range from 4,000 to 13,000 ft. above sea level. Decreased aircraft performance due to high Density Altitude is a critical consideration when ordering and utilizing specific makes and models of aircraft, and when briefing pilots and Aircrews. Special emphasis must be placed on calculating aircraft performance, strictly adhering to allowable payload limits, and performing risk assessments.

These varied climatic conditions can create potential hazards to aviation safety and requires thorough pre-mission planning. Some specific hazards that may be encountered are:

1. High density altitudes.
2. Rapid deterioration of weather conditions.
3. Mountain Wave
4. Turbulence, up and down drafts, strong winds, wind shear, and thunderstorms.
5. Pressure Altitude

5.2 Manuals, Handbooks, and Guides

5.2.1 Manuals

Aeronautical Information Manual (AIM): Issued by the Federal Aviation Administration; copies are available from the Government Printing Office and commercial sources. Also available at: http://www.faa.gov/air_traffic/publications/atpubs/aim/index.htm.

Rotorcraft Flight Manual (RFM): The original equipment manufacturer's manual is available in each aircraft operated by the agency.

Airplane Flight Manual (AFM): The original equipment manufacturer's manual is available in each aircraft operated by the agency.

Federal Aviation Administration Commercial Pilot Practical Testing Standards (PTS): Rotorcraft or Airplane as appropriate. Available at: https://www.faa.gov/training_testing/testing/test_standards/

FSM 5700 Aviation Management: Available at: http://www.fs.fed.us/cgi-bin/Directives/get_dirs/fsm?5700

5.2.2 Handbooks

FSH 5309.11 – Law Enforcement Handbook, Chapter 50 – Actions and Procedures:

Available at: https://fs.usda.gov/FSI_Directives/5309.11_50.doc.

FSH 5709.16 Aviation Management and Operations Handbook: Available at:

http://www.fs.fed.us/cgi-bin/Directives/get_dirs/fsh?5709.16

FSH 6709.11 Health and Safety Code Handbook: Available at: http://www.fs.fed.us/cgi-bin/Directives/get_dirs/fsh?6709.11.

Military Use Handbook: Available at:

http://www.nifc.gov/nicc/predictive/intelligence/military/Military_Use_Handbook_2006_2.pdf.

Pilot's Operating Handbook (POH): Also known as the FAA Approved Airplane Flight Manual; available in each aircraft operated by the agency.

5.2.3 Forest Service Guides

The most recent Forest Service approved version of the following guides supersedes all previous versions. Forest Service National Guides shall be approved in writing by the Deputy Chief, State & Private Forestry.

Accident Investigation Guide: <http://www.fs.fed.us/t-d/pubs/pdfpubs/pdf05672806/pdf05672806dpi72pt01.pdf>.

Aircraft Accident Investigation Guide: Available from Branch Chief, Aviation Safety until published within an updated Aviation Safety Management System Guide.

Aircraft Inspection Guide: Available from the Washington Office Detached Unit, Boise agency aviation staff. Available at: http://www.fs.fed.us/fire/aviation/av_library/AIG_2008.pdf

Air Card Guide

Aviation Safety Management System Guide: http://www.fs.fed.us/fire/av_safety/

Federal Excess Personal Property (FEPP) Desk Reference Guide:

http://www.fs.fed.us/fire/partners/fepp/desk_guide/chap40.html

Fire and Aviation Qualifications Guide:

<http://www.fs.fed.us/fire/publications/fsfaqq/fsfaqq.pdf>.

Helicopter Flight Evaluation Guide (HFEG): Available from the Washington Office Detached Unit, Boise agency aviation staff.

National Law Enforcement and Investigations (LEI) Short-Haul and Hoist (S-H/H) Guide

National Rappel Operations Guide:

http://www.fs.fed.us/fire/aviation/av_library/NROG/USFS%20NROG%202013.pdf

Professional Helicopter Pilot Guide:

http://www.fs.fed.us/fire/aviation/av_library/professional_helic_pilot_guide.pdf

Security Standard Requirements Guide: Available from aviation management staff, Washington Office, 1400 Independence Avenue SW, Washington, DC 20250.

Special Mission Airworthiness Assurance Guide:

http://www.fs.fed.us/fire/aviation/av_library/FS%20Special%20Mission%20Airworthiness%20Assurance%20Guide_Revision1_12_7_2011.pdf.

WCF Aircraft User Guide:

http://www.fs.fed.us/fire/aviation/av_library/Final_WCF_User_Guide_June_2010.pdf

Forest Service National Rappel Operations Guide:

http://www.fs.fed.us/fire/aviation/av_library/NROG/USFS%20NROG%202013.pdf

Operations and Safety Procedures Guide for Helicopter Pilots:

http://www.nifc.gov/aviation/av_documents/av_helicopters/SafetyBrief.pdf

5.2.4 Forest Service Aviation Operations Plans

The most recent Forest Service approved version of the following operational plans supersedes all previous versions.

- **Emergency Medical Short-Haul Operations Plan**
- **Modular Airborne Firefighting System (MAFFS) Operating Plan**
- **Night Air Operations Plan**
- **Water Scooper Aircraft Operating Plan**
- **Airtanker Operations Plan**
- **Aircraft Coordination Operations Plan**
- **National Rappel Operations Guide**

5.2.5 Interagency Aviation Operational Guides

The most recent Forest Service approved version of the following guides supersedes all previous versions. Interagency Guides utilized by the Forest Service shall be approved in writing by the Deputy Chief, State & Private Forestry.

Cooperator Aircraft and Pilot Approval Guide for Interagency Fire:

http://www.fs.fed.us/fire/aviation/av_library/COOP%20NASF%20Standards.pdf

Interagency Aerial Ignition Guide (IAIG):

http://www.nwcg.gov/sites/default/files/products/PMS501_2015.pdf

Interagency Aerial Supervision Guide (IASG): (NOTE – AS OF JANUARY, 2016, THE MOST RECENT IASG APPROVED BY THE FOREST SERVICE WAS IN 2011)

<http://www.nwcg.gov/publications/interagency-aerial-supervision-guide>

Interagency Airplane Pilot Practical Test Standards:

[https://www.doi.gov/sites/doi.gov/files/migrated/aviation/tech/upload/Airplane Pilot Practical Test Guide 2012.pdf](https://www.doi.gov/sites/doi.gov/files/migrated/aviation/tech/upload/Airplane_Pilot_Practical_Test_Guide_2012.pdf)

Interagency Airspace Coordination Guide (IACG):

http://www.airspacecoordination.org/guide/asguide_full.pdf

Interagency Airtanker Base Operations Guide (IABOG):

<http://www.nwcg.gov/pms/pubs/pms508.pdf>.

Department of Interior Aviation Life Support Equipment (ALSE) Handbook:

[https://www.doi.gov/sites/doi.gov/files/migrated/aviation/library/upload/Aviation Life Support Equipment Handbook 2008.pdf](https://www.doi.gov/sites/doi.gov/files/migrated/aviation/library/upload/Aviation_Life_Support_Equipment_Handbook_2008.pdf)

Interagency Aviation Mishap Response Guide and Checklist:

[https://www.doi.gov/sites/doi.gov/files/migrated/aviation/safety/upload/IAMRGC PMS503.pdf](https://www.doi.gov/sites/doi.gov/files/migrated/aviation/safety/upload/IAMRGC_PMS503.pdf)

Interagency Aviation Training Guide (IAT): Also available at:

[https://www.iat.gov/docs/IAT Guide 2014 0331.pdf](https://www.iat.gov/docs/IAT_Guide_2014_0331.pdf)

Interagency Aviation Transport of Hazardous Materials Guide:

[https://www.doi.gov/sites/doi.gov/files/migrated/aviation/library/upload/HAZMAT Handbook 2005-2.pdf](https://www.doi.gov/sites/doi.gov/files/migrated/aviation/library/upload/HAZMAT_Handbook_2005-2.pdf)

Interagency Helicopter Operations Guide (IHOG):

<http://www.nwcg.gov/sites/default/files/products/pms510.pdf>

Interagency Helicopter Pilot Practical Test Standards:

http://www.fs.fed.us/fire/aviation/av_library/ihpts.pdf

Interagency Helicopter Rappel Guide (IHRG):

[http://www.nifc.gov/PUBLICATIONS/ihrq/Interagency Helicopter Rappel Guide 2011.pdf](http://www.nifc.gov/PUBLICATIONS/ihrq/Interagency_Helicopter_Rappel_Guide_2011.pdf).

Interagency Single-Engine Airtanker Operations Guide (ISOG):

<http://www.nwcg.gov/sites/default/files/products/pms506.pdf11.pdf>.

Interagency Smokejumper Operations Guide (ISMOG):

http://www.fs.fed.us/fire/aviation/av_library/ismog/ismog-fs.pdf.

Interagency Smokejumper Pilots Operations Guide (ISPOG):

http://www.fs.fed.us/fire/aviation/av_library/ISPOG.pdf

Interagency Standards for Fire and Aviation Operations (annual revision):

https://www.nifc.gov/policies/pol_ref_redbook_2015.html

NASF Cooperators Aviation Standards for Interagency Fire:

http://www.fs.fed.us/fire/aviation/av_library/COOP%20NASF%20Standards.pdf.

National Interagency Mobilization Guide (annual revision):

<http://www.nifc.gov/nicc/mobguide/index.html>.

5.2.6 Other References

Administrative Use of Aircraft Desk Reference**Aviation Risk Management Workbook:**

http://www.fs.fed.us/fire/av_safety/risk_management/ARMW%20Individual%20Files/ARM_2011W.pdf.

Foundational Doctrine Fire and Aviation Rotor and Wing January 2006:

http://fsweb.wo.fs.fed.us/fire/fam/aviation/foundational_doctrine_fam_2006.pdf

Interagency Airtanker Base Directory: Available from the Washington Office Detached Unit, Boise Great Basin Cache, as National Fire Equipment System (NFES) Order Number 002537.

National Aviation Safety and Management Plan:

http://www.fs.fed.us/fire/aviation/av_library/2012%20National%20Aviation%20Safety%20and%20Management%20Plan%20Final.pdf

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

5.3 Public/Civil Aircraft Operations

Forest Service aviation activities include both “civil” and “public” operations. Civil aircraft operations shall comply with [FSM 5703.32](#). Public aircraft operations shall comply with [FSM 5703.31](#).

5.3.1 Civil Aircraft

All Forest Service aircraft operations are civil unless specifically declared public. All aircraft other than public aircraft are considered civil aircraft ([FAR1.1](#)).

5.3.2 Public Aircraft

The definition for Public Aircraft can be found in the [FSM 5705](#). The Forest Service will comply with all 14 Code of Federal Regulations (14 CFR) Federal Aviation Regulations in the operation and maintenance of public aircraft with the few exceptions outlined in [FSM 5714](#).

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

5.4 Employees on Unapproved Aircraft

All agency employees will comply with Forest Service aviation policies when performing agency employment-related duties on board any organization's aircraft and/or aircraft operated under any other organization's operational control. Employees shall be mindful of policy and the appropriate approval level for any deviation from policy. These policies include, but are not limited to: approved aircraft and pilot (carding or letter of approval), PASP, flight following, PPE, and appropriate management.

Regional Supplement

No Supplement.

Forest Supplement: Aircraft and pilots must have current Forest Service card, Interagency Card, or a letter from the Regional Aviation Officer certifying that they are qualified for the mission planned. Military aircraft, including National Guard aircraft and pilots, may not be used without prior approval of the Regional Aviation Officer.

5.5 Aviation Emergency Response

In unusual circumstances, Forest Service personnel may perform a flight in non-approved aircraft with non-approved pilots ([FSM 5713.53](#)). The Regional Forester may authorize this flight based on advisement and recommendation from the Regional Aviation Officer and counsel from the Regional Aviation Safety Manager.

A mission Risk Assessment (RA) shall be completed and approved by the appropriate Line Officer prior to the flight(s). The [Green-Amber-Red \(GAR\) Model Risk Assessment](#) is an example of an appropriate aviation risk assessment to utilize in an aviation emergency response situation.

These flights shall be documented on form FS-5700-14, [SAFECOM](#): Aviation Safety Communiqué and submitted to the appropriate aviation manager.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

5.6 Flight Planning

5.6.1 Point-to-Point

Point-to-Point flights will be tracked by either an FAA – VFR (Visual Flight Rules), IFR (Instrument Flight Rules) Flight Plan, or agency flight plan. Minimally, there must be notification to Dispatch Centers upon departure and arrival.

5.6.2 FAA Flight Plans

FAA Flight Plans are filed by the pilot, opened in flight upon departure, and closed by the pilot with FAA Air Traffic Control (ATC) or Flight Service upon arrival.

5.6.3 Agency Flight Plans

Agency flight plans for point-to-point flights are documented on a Flight Request/Flight Schedule form. The procedures for accomplishing agency flight tracking are documented in detail in the [National and Geographic Area Mobilization Guides](#).

5.6.4 Flight Hazard Maps

The document at the following link provides a status report of the interagency effort to standardize flight hazard maps:

<http://gis.nwcg.gov/standards/AviationHazards/Memorandum%20No.15-008%20Aviation%20Hazard%20Mapping.pdf>

The Map Product Description Sheet located at the following link provides guidance to GIS Specialists for creating flight hazard maps: http://gis.nwcg.gov/standards_data.html

Regional Supplement

No Supplement.

Forest Supplement: All flight schedules for flights originating on the Forest will be filed with Casper or Craig Dispatch. Off-Forest point to point flights will require 15-minute radio check-ins, Automated Flight Following, or a VFR or IFR FAA flight plan to be filed and activated.

5.7 Flight Following

5.7.1 Mission Flight Following

All Forest Service flight activities, except those activities conducted under IFR flight plans (14 CFR 91.173) or which are under positive control with air traffic control (ATC), shall be coordinated through an originating dispatch office during its hours of operation in accordance with FSH5709.16 Chapter 33.11.

AFF is the preferred method of agency flight following but shall not preclude the use of radio flight following as an alternate means. [Automated Flight Following \(AFF\)](#) does not

reduce or eliminate the requirement for FM radio capability and radio communication. Reference the [National Interagency Mobilization Guide, Chapter 20](#) Flight Following Requirements and Procedures.

The method of flight following for Fire incidents is documented on an Aircraft Resource order or in a Dispatch Center's Mobilization/Operating Guide. The method for flight following non-fire resource missions will be documented in a Project Aviation Safety Plan (PASP) and/or Flight Request/Flight Schedule form.

Regional Supplement

No Supplement.

Forest Supplement:

Casper Interagency Dispatch Center uses the following frequencies for flight following.

National Flight Following- 168.625 Tone: 110.9

Local Forest frequencies as designated by Incident

Craig Interagency Dispatch Center uses the following frequencies for flight following.

National Flight Following- 168.625 Tone: 110.9

Local Forest frequencies as designated by Incident

Reliable communications must be established between CPC and CRC and aircraft flying any mission over the forest. Frequencies will be designated by the centers. Communications will be established before take-off, maintained through the flight, and completed after landing. If communications are expected to be interrupted, notify CPC or CRC. If communications by radio are lost, abort the flight, return to nearest airport, and contact CPC or CRC by phone.

Aircraft switching their flight following to another forest, will first establish contact with the adjacent forest prior to signing off of the centers frequency. This is needed to ensure that the other forest can be contacted and know they are to flight follow before terminating that service from the Casper or Craig Dispatch Offices.

A helicopter that is making repeated takeoffs and landings in a localized area may have someone at the site, or close by to perform flight following. The Dispatch Office must be notified of this arrangement. On-site written documentation of flight following should be maintained.

5.8 Radio Frequency Management/Communications

RESERVED

Do not use any frequency without proper authorization from the authorized radio frequency management personnel at the local, state, regional or national level.

Regional Supplement

Rocky Mountain Regional Supplement:

The following link contains Regional specific communications information.
<http://gacc.nifc.gov/rmcc/administrative/publications.html> Contact the Rocky Mountain Regional Coordination Center for access.

Forest supplement: Radio Frequencies for the MBRTB are available at the Casper and Craig Dispatch centers.

5.9 Latitude and Longitude Formats

The aviation standard for communicating latitude and longitude shall be: Degrees Decimal Minutes (also known as Degrees Minutes, Decimal Minutes, or Degrees Minutes Tenths) i.e., 48°36.12'N 114°08.12'W. Ground units must ensure their GPS is set to Degrees Decimal Minutes before providing coordinates to aircraft.

There is also a format specific to the [Interagency National Mobilization Guide](#), for requesting TFRs, which is an exception to the above formats. An example would be 483612N/1140812W (uses no punctuation at all with degrees, minutes and seconds).

Reference the [Latitude/Longitude Information for GPS Navigation Information Bulletin FS-10-02](#) for more information.

5.10 Overdue or Missing Aircraft

An aircraft is considered “overdue” when it fails to arrive within 30 minutes after the Estimated Time of Arrival (ETA) and cannot be located.

An aircraft is considered “missing” when its fuel duration has been exceeded, it has been reported as “overdue” to the FAA and the FAA has completed an administrative search for the aircraft without success.

If an aircraft is missing, overdue, or downed, initiate the [Interagency Mishap Response Guide and Checklist](#).

Regional Supplement

No Supplement.

Forest Supplement: The procedures for responding to overdue, missing, or downed aircraft are in the Interagency Mishap Response Guide. The guide is maintained and reviewed/updated annually at both Casper and Craig Dispatch Centers. When an aircraft is overdue the Forest Aviation Officer and the FAA Flight Service Station will be notified by the Dispatch Duty Officer.

5.11 Mishap Response

Forest Service local units shall establish procedures in an Emergency Response Plan to, [FSM5720.48](#):

- Coordinate and plan the response to aviation accidents and incidents; and should
- Conduct periodic exercises of mishap response plans.

The Emergency Response Plan is specific to each unit and shall be available in all dispatch offices. The Emergency Response Plan must be updated annually at a minimum.

Regional / Program Aviation Safety Manager should be notified immediately of any aviation accident, incident with potential or NTSB reportable incident.

Regional Supplement

No Supplement.

Forest Supplement: The Forest Aviation Officer will review and maintain a copy of the Mishap Response Plans and provide recommendations where needed. The Center Manager is responsible for training the current year's dispatch staff. A copy of the guide can be found at each Dispatch Center, or provided by the Forest Aviation Officer.

5.12 Passengers

A passenger is any person aboard an aircraft, when traveling on official Forest Service business, who does not perform the function of a flight crewmember or air crewmember.

Passengers will:

- Use appropriate personal protective equipment for the type of flights being conducted
- Report aviation incidents, operations deviating from policy, potential incidents
- Ensure personal safety as well as safety for others involved in the flight.

5.12.1 Agency Employees off Duty

Federal employees cannot utilize annual leave/Leave without Pay (LWOP) or "volunteer" in order to circumvent agency policy. If any aspect of the employee's activity is related to their official duties, they are conducting agency business, regardless of their pay or leave status.

Refer to the regulations regarding off-duty activities in accordance with the Standards of Ethical Conduct for Employees of the Executive Branch ([5 CFR Part 2635.802-803](#))

5.12.2 Volunteers

Volunteers when traveling on official business are official passengers, within the terms of [FSH 6509.33, Federal Travel Regulations 301-1](#). A [Day Trip Authorization \(FS-5700-12\)](#) shall be filled out for each flight listing each volunteer. During fire mission flights, the Incident Commander with Delegation of Authority from the unit line officer or the local line officer is the appropriate level of approval ([FSM 5716.44- Exhibit 01](#)).

Regional Supplement

No Supplement.

Forest Supplement:

Authorized Cargo & Passengers - Only authorized cargo and passengers on official business will be allowed on any Forest Service flight.

Non-Government Passengers - Non-Government Passengers may be authorized to ride in Forest Service aircraft, provided the proper approval is obtained. Specific direction is contained in FSM 5716.41 and FSH 6509.33. All non-government passengers must be identified to the scheduling dispatcher when flight is scheduled. For day trips, defined as travel that takes place on a single calendar day, authorization can be requested on Form FS-5700-12 Day Trip Authorization. Approval authority rests with the Forest Supervisor. The conditions for approval are:

- a. That the mission can be safely accomplished with the non-government passenger(s) aboard.
- b. That it is to the benefit of the government that the passenger(s) be transported.

Volunteers and family members are NOT considered to be FS employees and must be authorized for travel by aircraft as stated above. BLM, BIA, other Federal Government employees and State employees which are included in current operational agreements may be transported without special approval. During emergency air rescue or medivacs missions, non-government personnel are approved to ride in FS aircraft if required by the emergency.

Air Tanker Passengers - NO National Forest personnel will ride in any air tanker.

Passengers Onboard Helicopters with External Loads -

A helicopter manager may ride with the pilot of a helicopter carrying an external load only in rare cases where mission safety requires the manager's presence. See IHOOG Ch 10 section IV.

Reporting Passengers

Policy requires that a record be maintained on the ground of the people onboard during each leg of a flight. For most flights this is easily accomplished by the flight plan, but helicopter flights require special procedures as follows:

The helicopter manager is responsible for ensuring that a list of passengers onboard is available, on the ground, for all flights. Where possible, this information will be left with someone at the departure base as part of the load calculation/manifest. Dispatch will be informed how many personnel are on board each flight they are flight following.

5.13 Transportation of Hazardous Materials

Transportation of hazardous materials aboard agency contracted aircraft must meet the requirements set forth in the [Interagency Aviation Transport of Hazardous Materials USDI Handbook and USDA-FS Guide](#).

Hazardous materials transported aboard commercial aircraft fall under [49 CFR Part 175](#). Employee shall check with commercial carrier prior to traveling. Some commercial carriers may not permit hazardous materials.

When hazardous materials are transported on agency aircraft, the most current special permit authorization issued by the Department of Transportation directly to the USDA Forest Service ([DOT SP-9198](#)) shall be onboard each aircraft. All aircraft operated under this special permit must be under operational control of the Forest Service for the purposes of a government function listed in the special permit. The specific details associated with the most current revision of DOT SP-9198 may be viewed and downloaded from the following link:

http://www.phmsa.dot.gov/pv_obj_cache/pv_obj_id_762CE209CD4276E7DA5127C29B51F27BC9B90000/filename/SP9198_2014010921.pdf

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

5.14 Invasive Species Control

Aquatic invasive species are easily transported in a variety of ways (e.g., helicopter buckets, fixed tank helicopters and SEATs utilizing open water sources, engines and tenders, and other water handling equipment). Agency personnel should become knowledgeable in the preventive measures associated with the prevention of the spread of aquatic plants and invertebrates. Aviation managers should consult with local unit representatives to acquire information associated with: contaminated water sources, approved water sources, cleaning equipment exposed to contaminated water requirements, and other pertinent information.

In addition, the Equipment Technology Committee under the National Wildfire Coordinating Group established an Invasive Species Subcommittee to focus on developing guidance for use in the interagency fire community. Current information is available at

http://www.nwcg.gov/branches/et/etc/subcommittees/invasive_species/invasive_species-subcommittee.htm specific to this subcommittee.

Work is underway to develop additional guidance and procedures in the cleaning of equipment that has been exposed to aquatic invasive. Current information concerning cleaning solutions can be found at this web site:

<http://www.fs.fed.us/rm/fire/wfcs/documents/watercon.pdf>

Many web sites exist containing information on invasive aquatic species. The following is not an all-inclusive list but will provide the user with specifics about aquatic invasive species, guidance surrounding the prevention of spreading invasive, as well as equipment cleaning information:

Forest Service Region 4 Fire Operations Guidance for Aquatic Invasive Species:

<http://www.fs.fed.us/r4/resources/aquatic/guidelines/index.shtml>

USDA National Invasive Species Information Center Resource Library:

<http://www.invasivespeciesinfo.gov/resources/orgstate.shtml>

Forest Service Technology & Development Water-Source Toolkit:

<http://www.fs.fed.us/t-d/programs/wsa/watertoolkit.htm>

Environmental Protection Agency Useful Links to Invasive Species Information:

http://www.epa.gov/owow/invasive_species/links.html

Forest Service Invasive Species Program:

<http://www.fs.fed.us/invasivespecies/index.shtml>;

<http://www.fs.fed.us/invasivespecies/relatedlinks.shtml>

Forest Service Region 4 Invasive Species Homepage:

<http://www.fs.fed.us/r4/resources/invasives/>

US Fish and Wildlife Service Western Regional Panel on Aquatic Nuisance Species Homepage:

<http://www.fws.gov/answest/default.html>

Global Invasive Species Database:

<http://www.issg.org/database/welcome/>

California Department of Fish and Game Invasive Species:

<http://www.dfg.ca.gov/invasives/>

USDA National Invasive Species Information Center Homepage:

<http://www.invasivespeciesinfo.gov/>

Aquatic Nuisance Species Task Force Homepage:

<http://anstaskforce.gov/default.php>

US Fish and Wildlife Service Invasive Species Homepage:

<http://www.fws.gov/invasives/>

US Geological Survey Non-indigenous Aquatic Species Homepage:

<http://nas.er.usgs.gov/>

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

5.15 Fire Chemicals and Aerial Application Policy Near Waterways

For operational guidelines on use of fire chemicals, refer to [Implementation Guidance for the Nationwide Aerial Application of Fire Retardants on National Forest Systems Lands](#). For aerial application of pesticides near “waters of the United States”, refer to Environmental Protection Agency’s National Pesticide Discharge Elimination System (NPDES) <http://cfpub.epa.gov/npdes/> and consult your USFS Regional Pesticide Coordinator for NPDES permitting information.

Interagency policy only allows the use of a product that is qualified and approved for intended use. A Qualified Products List (QPL) is published for each wildland fire chemical type and maintained on the Wildland Fire Chemical Systems (WFCS) web site: <http://www.fs.fed.us/rm/fire/wfcs/index.htm>.

Personnel involved in handling, mixing, and applying chemicals or solutions shall be trained in proper safe handling procedures and use the personal protective equipment recommend on the product label and Material Safety Data Sheet (MSDS). The MSDSs for all approved fire chemicals can be found on the WFSC web site. MSDSs for pesticides or other materials must be available on site for duration of project. One resource for searching MSDSs is <http://www.msds-online.com/msds-search/>.

Airtanker bases shall have appropriate spill containment facilities (and equipment) in place.

Products must be blended or mixed at the proper ratio by approved methods prior to being loaded into the aircraft. Inaccurate mixing of fire chemicals may negate the suppressant or retarding properties, which is not cost effective and may be a safety factor.

Avoid aerial application of wildland fire chemicals within 300 feet of waterways. Report all retardant misapplications using the report tools located on the USFS Retardant Environment Impact Statement (EIS) website: [Aerial Application of Fire Retardant](#). The following link provides assistance with access to retardant misapplication forms and the reporting process: http://www.fs.fed.us/fire/retardant/forms/wfcmr_getting_started_guide.pdf

5.15.1 Retardant Avoidance Areas

Additionally, aerial retardant drops are not allowed in mapped avoidance areas for threatened, endangered, proposed, candidate or sensitive species except in cases where human life or public safety is threatened and retardant within an avoidance area could be reasonably expected to alleviate that threat. Maps identifying all retardant avoidance areas (including waterways) can be found at: <http://www.fs.fed.us/fire/retardant/maps.html>. These maps shall be provided to dispatch centers, incident commanders and incident aviation resources.

Regional Supplement

No Supplement.

Forest Supplement: Retardant avoidance area maps are available at both Dispatch Centers. District Duty Officers have the responsibility of informing Initial Attack Incident Commanders of retardant avoidance areas in the vicinity of their respective fires. If a miss application is suspected, CPC or CRC must be notified and the Forest or District Duty Officer will be responsible for ensuring the appropriate personnel are notified.

When Incident Management Teams are assigned to fires on the MBRTB, the Forest Aviation Officer, or their acting, is responsible for briefing the incoming Air Operations Branch Director of retardant avoidance protocol and providing a copy of local avoidance area maps.

5.16 Search and Rescue (SAR)

Refer to the [FSM 5713.53](#) and [FSM 1590](#) regarding search and rescue. Search and rescue operations could lead to actions in conflict with policy. Refer to section [5.5 Aviation Emergency Response](#).

Regional Supplement

No Supplement.

Forest Supplement: The Search and Rescue Plan and the Interagency Aviation Mishap and Response Plan outlines the procedures necessary to activate emergency search and rescue services as well as associated support activities in as rapid and orderly a fashion as possible. www.fs.fed.us/r2/fire/docs/aircraft_crash_SAR_guide.PDF

Search and Rescue Requests

Search and Rescue requests will be passed on to the appropriate County Sheriff unless there appears to be a need for immediate action. In a life threatening scenario on National Forest lands we will dispatch a rescue aircraft first and then notify the County Sheriff. If the Sheriff requests a helicopter for a search and rescue our policy will be to dispatch the helicopter and retain payment and control responsibility. The Sheriff is in charge of the search and rescue but our helicopter management personnel will manage the helicopter to Forest Service standards. Payment procedures will comply with the appropriate County Search and Rescue Agreement.

For search and rescue requests, the aircraft can be released from the contract and made available to the Sheriff (if the contractor agrees to the release), who then assumes all control and payment responsibility.

5.17 Large Airtanker Operations

Large Airtankers are a national resource and their primary mission is initial attack. Geographic Areas will make them available for wildland fire assignments when ordered by the National Interagency Coordination Center. In addition to federally contracted airtankers, MAFFS (military) and cooperator aircraft may be utilized to supplement the federal fleet through established agreements.

Operational considerations concerning all Airtankers can be referenced in the [Interagency Airtanker Base Operations Guide \(IATBOG\)](#) and the [Interagency Aerial Supervision Guide \(IASG\)](#).

5.17.1 Very Large Airtanker (VLAT) Operations

VLATs require a VLAT qualified lead plane or aerial supervision module for all missions. Not all airtanker bases are capable of supporting VLAT operations due to runway or ramp limitations.

Airtanker bases must evaluate base size, configuration, retardant capacity and other relevant factors before inserting VLATs into the existing pit areas. Consider establishing a satellite base at the airport or an airport in the proximity.

5.17.2 Airtanker Base Personnel

The airtanker base manager supervises ground operations in accordance with the [Interagency Airtanker Base Operations Guide \(IATBOG\)](#).

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

5.18 SEAT Operations

SEATs primary mission is initial attack. Mobilization is managed by Dispatch Centers with support by the Bureau of Land Management's National SEAT Coordinator and BLM State Aviation Managers. Operational considerations concerning SEATs can be referenced in the [Interagency SEAT Operations Guide \(ISOG\)](#) and the [Interagency Aerial Supervision Guide \(IASG\)](#).

SEAT Manager (SEMG) responsibilities are outlined in the [ISOG](#), and their training and currency requirements are contained in [NWCG PMS 310-1](#).

Regional Supplement

Rocky Mountain Regional Supplement

Signatory to the, *Colorado Interagency SEAT Operations Plan (CISOP)*. This plan is reviewed annually.

Forest Supplement: The Colorado Division of Fire Prevention and Control (DFPC) and BLM have single-engine light airtankers on contract. These aircraft specifications vary annually. Contact CPC or CRC for current information. CPC and CRC will maintain a current copy of the SEAT Operations Plan. For specific SEAT information refer to the Rocky Mountain Mob Guide, Chapter 80, Section 83.3.1.

5.19 Aerial Supervision Operations

Lead planes (LP) and Aerial Supervision Modules (ASM) are national resources as defined by the National Interagency Mobilization Guide.

Air Tactical Group Supervisor (ATGS) aircraft, LPs, ASMs and Helicopter Coordinators (HLCO) conduct operations in accordance with the [Interagency Aerial Supervision Guide \(IASG\)](#) and the policies and procedures prescribed in the [Interagency Standards for Fire and Fire Aviation Operations Handbook](#). Dispatch and ordering are accomplished in accordance with the Geographic Area and National Mobilization Guides.

Personnel shall be fully qualified as an ATGS to perform air tactical supervision.

Lead planes and ASM will be considered interchangeable in terms of the lead plane mission. An ATGS should be ordered if there is a need for incident air tactical supervision.

Lead plane pilot trainees will be given priority over all ASM flights/ missions.

The Aerial Supervision Program is managed by the WO Aerial Supervision Program Manager.

Regional Supplement

No Supplement.

Forest Supplement: Lead Plane/Aerial Supervision Module (ASM) Use

In addition to the Mission Supervision Flying over Incidents outlined in FSM 5716.32, when a Lead Plane is available, it will be dispatched with the Airtanker even though not actually required. This increases the safety margin when flying heavily loaded tankers in steep rough terrain.

Whenever three or more aircraft are dispatched to a fire, or an urban interface incident exists, a Lead Plane/ASM or Air Attack Supervisor will be dispatched/ordered.

5.19.1 Aerial Supervision Personnel

The ATGS manages incident airspace and controls incident air traffic. The ATGS is an airborne firefighter who coordinates, assigns, and evaluates the use of aerial resources in support of incident objectives. The ATGS is the link between ground personnel and incident aircraft.

Air tactical aircraft can be considered a local unit, incident, or geographic resource. Air tactical aircraft must meet the avionics typing requirements listed in the [Interagency Aerial Supervision Guide \(IASG\)](#) and the pilot must be carded to perform the air tactical mission.

Air Tactical Group Supervisors (ATGS) responsibilities and procedures are outlined in the [Interagency Aerial Supervision Guide \(IASG\)](#), and the position qualifications, training and currency requirements are contained in the Forest Service Fire and Aviation Qualifications Guide.

The ATGS works for the Air Operations Branch Director (AOBD) when an AOBD is assigned. If an AOBD is not assigned, the ATGS works for the incident commander or designee.

5.19.2 ASM

An ASM is a two person crew consisting of a lead plane pilot and ATGS- ATS (Air Tactical Supervisor). The ASM crew is qualified in their respective positions and has received additional training. An ASM can be utilized as a LP or ATGS depending on the needs of incident management personnel.

ASM responsibilities and procedures are outlined in the [IASG](#). LP pilot responsibilities and procedures are outlined in Forest Service policy ([5714.11 – Exhibit 01](#), [5709.16 Chapter 20](#)) and the IASG.

Lead plane pilot designations are the responsibility of the WO Branch Chief, Pilot Standardization.

ATGS-ATS designations are the responsibility of the WO Aerial Supervision Program Manager.

ASMs work for the ATGS when an ATGS is assigned. If an ATGS is not assigned, the ASM works for the incident commander or designee.

5.19.3 Lead Plane

Lead planes coordinate, direct, and evaluate airtanker and other incident aircraft operations. The low level capabilities of a lead plane enhance the safety and effectiveness of airtanker operations in the low level turbulent, smoky, and congested fire environment. Lead planes are single pilot aircraft unless a lead plane trainee is assigned.

LP responsibilities and procedures are outlined in Forest Service policy ([5714.11 – Exhibit 01](#), [5709.16 Chapter 20](#)) and the [IASG](#).

Lead plane pilot designations are the responsibility of the WO Branch Chief, Pilot Standardization.

Lead planes work for the ATGS when an ATGS is assigned. If an ATGS is not assigned, the LP works for the incident commander or designee.

5.19.4 HLCO

The HLCO coordinates, directs, and evaluates tactical/logistical helicopter operations. The HLCO works for the ATGS. This position is typically activated on complex incidents where several helicopters are assigned. A HLCO can reduce the span of control of the ATGS by managing all the helicopters over an incident.

HLCO responsibilities and procedures are outlined in the [IASG](#). The position qualifications, training and currency requirements for the HLCO are contained in the [Forest Service Fire and Aviation Qualifications Guide](#).

HLCOs work for the ATGS when an ATGS is assigned. If an ATGS is not assigned, the HLCO works for the incident commander or designee.

5.20 Helicopter Operations

All helicopter operations shall be accomplished in accordance with the [Interagency Helicopter Operations Guide \(IHOG\)](#), the Aerial Ignition Guide, and the aircraft contract.

The applicable Hover out of Ground Effect (HOGE) chart will be used for initial attack operations, first time into remote landing site, or when the pilot deems that environmental conditions warrant use of HOGE chart.

Forest Supplement:

1. All Interagency operations will be compliant with the Interagency Helicopter Operations Guide.
2. The helicopter manager will be held accountable for implementation of helicopter use policies, such as observing allowable gross weight, load calculations, no flying during hazardous wind conditions, poor visibility conditions, inoperable radio communication gear and/or other equipment.
3. A helibase manager and/or a helicopter manager will be assigned to all helicopter operations. (The helitack manager may act in the capacity of Helibase Manager on single helicopter use projects).
4. A helispot manager will be assigned to all helicopter landing spots that will be used for loading and unloading personnel and equipment on a recurring basis. Wind direction and velocity will be monitored at all landing spots.
5. Only qualified persons shall be assigned to manage helicopters and be helicopter crewmembers.
6. Fire resistant clothing and helmets will be worn by all personnel riding in US Forest Service contracted helicopters, in accordance with IHOG.
7. Ground crews will wear all appropriate PPE, including hardhats, eye and ear protection when working within 100 feet of a helicopter with its rotor turning.
8. A dust abatement program will be established for heliports. The best dust palliative available will be used, i.e., grass pad, sprinkling with water, polybinder, etc.
9. A correct helicopter load calculation form is required for all missions.
10. All helicopter operations that are project work, non-fire related will have an approved helicopter operations safety plan (PSAP).

Helicopter Project Work

All non-fire project work proposals will be approved by the Forest Aviation Officer and the State Duty Officer. The helicopter manager in conjunction with the SDO/FAO will manage the helicopter schedule according to the following guidelines:

1. Fire missions will be given priority.
2. Jobs where project dollars are available will be high priority to accomplish, considering Forest priority ranking.
3. Projects with shared funding and schedule coordination with fire related projects will be next priority.
4. If project is cancelled due to fire activity, it may be rescheduled without further approval.

5.20.1 Helitack

Each unit hosting an exclusive-use helicopter is responsible for providing essential management, overhead, equipment, facilities and the resources necessary to fully support the helitack crew. Minimum crew staffing is contained in the [Interagency Standards for Fire and Fire Aviation Operations](#). Helicopter personnel responsibilities are outlined in the [Interagency Helicopter Operations Guide \(IHOG\)](#), and their training and currency requirements are contained in the [Forest Service Fire and Aviation Qualifications Guide](#).

Rocky Mountain Regional Supplement:

Minimum staffing requirements; for established, new and proposed helitack programs within the Rocky Mountain Region will maintain 7 day effectiveness during the helicopter Mandatory Availability Period (MAP).

Minimum helitack crew configurations are established to maintain a high level of quality supervision, safety oversight, and career ladder opportunities.

The standard below is in effect until a National standard is determined.

Standard Type 3 Helitack Crew Module	Grade/Tour	Position Description	Count
Helitack Sup.	GS-462-9 PFT	GS-9-FS1920	1
Helitack Assistant Manager	GS-462-8 18/8	GS-7-FS1918/GS-8-FS1919	1
Helitack Squad Leader	GS-462-7 13/13	GS-6-FS1986/GS-7-FS1987	1
Helitack Senior FFTR**	GS-462-5 13/13	GS-4-FS0199/GS-5-FS0200	1
FFTR (temp)	GS-462-3/4/5		4
Total:			8

Type 2 National Helicopter Crew Module (Efficiency Helicopter)	Grade/Tour	Position Description	Count
Helitack Sup.	GS-462-9 PFT	GS-9-FS1920	1
Helitack Assistant Manager	GS-462-8 18/8	GS-7-FS1918/GS-8-FS1919	1

Helitack Squad Leader	GS-462-7 13/13	GS-6-FS1986/GS-7-FS1987	2
Helitack Senior FFTR**	GS-462-5 13/13	GS-4-FS0199/GS-5-FS0200	2
FFTR (temp)	GS-462-3/4/5		4
<i>Note: Standard set by the W.O. – 10 positions funded</i>			Total: 10

Type 1 Helicopter Manager	Grade/Tour	Position Description	Count
Helicopter Manager	GS-462-8/9 18/8	GS-8-FS1783/GS-9-FS1784	1

This is a different PD from the GS-9 Helitack Manager. Use the PD listed above for whoever is managing the Type 1 Helicopter on a permanent basis. This is a non-supervisory PD.

**** Senior FFTR positions may be permanent or temporary to allow for program flexibility**

5.20.2 Rappel

Rappel activities will be conducted in compliance with the [Interagency Helicopter Rappel Guide](#) and [National Rappel Operations Guide](#).

5.20.3 Cargo Letdown

Cargo letdown will be conducted in compliance with the [Interagency Helicopter Rappel Guide](#) and [National Rappel Operations Guide](#).

5.20.4 Emergency Medical Short-Haul

Emergency Medical Short-Haul operations support the rapid evacuation of injured personnel. All Emergency Medical Short-Haul operations will be conducted in accordance with the [Emergency Medical Short-Haul Operations Plan](#) (EMSHOP).

5.20.5 LEI Short-Haul and Hoist

Short-Haul and Hoist operations are approved for Region 5 Law Enforcement and Investigations at this time. Short-Haul and Hoist operations will be conducted in compliance with the [Interagency Helicopter Operations Guide \(IHOG\)](#) and the Forest Service (FS) National Law Enforcement and Investigations (LEI) Short-Haul and Hoist (S-H/H) Guide.

Region 6 LEI may be approved for Short-haul and / or hoist operations in 2016. If so, an approval letter will be issued by the Deputy Chief, State and Private Forestry and the Director of LEI.

5.20.6 Helicopter Bucket and Tank Operations

Helicopter Bucket and Tank Operations will be conducted in compliance with the [Interagency Helicopter Operations Guide \(IHOG\)](#).

5.20.7 Helicopter External Load Operations

Helicopter External Load Operations will be conducted in compliance with the [Interagency Helicopter Operations Guide \(IHOG\)](#).

5.20.8 Night Helicopter Operations

Forest Service Night Helicopter Operations are only authorized in Region 5. Night helicopter operations are restricted to fixed tank, ground fill only. Night helicopter operations will be conducted in compliance with the Night Air Operations Plan.

5.20.9 Interagency Helicopter Screening and Evaluation Subcommittee

The Interagency Helicopter Screening and Evaluation Subcommittee (IHSAES) will provide guidance for standardization when evaluating new interagency helicopters and related accessories.

5.21 Aerial Ignition Operations

Aerial ignition operations and projects are accomplished in accordance with the [Interagency Aerial Ignition Guide](#).

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

5.22 Wild Horse & Burro Operations

RESERVED

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

5.23 Aerial Capture, Eradication and Tagging of Animals (ACETA)

RESERVED

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

5.24 Water Scooper Operations

Water scoopers are a national resource and should be managed and used much like heavy helicopters. Operations will be in compliance with the Water Scooper Evaluation and Operations Plan

5.25 Smokejumper Operations

Smokejumper dispatch and ordering are accomplished in accordance with the Geographic and National Mobilization Guides and [Interagency Smokejumper Operations Guide \(ISMOG\)](#).

5.25.1 Smokejumper Personnel

Smokejumper: Smokejumper operations are performed according to the [Interagency Smokejumper Operations Guide \(ISMOG\)](#), and the policies and procedures prescribed in the [Interagency Standards for Fire and Aviation Operations Handbook](#).

Smokejumper Pilots: The [Interagency Smokejumper Pilot Operations Guide \(ISPOG\)](#) serves as policy for smokejumper pilots' qualifications, training and operations.

Smokejumper Parachute System: Forest Service parachute operations are currently transitioning to a ram-air parachute system. Forest Service ram-air parachute operations will be performed in accordance with the [Ram Air Parachute System Change Management and Implementation Plan \(CMIP\)](#).

5.25.2 Smokejumper Aircraft

Smokejumper aircraft are evaluated and approved by the Smokejumper Aircraft Screening and Evaluation Subcommittee (SASES). The SASES will provide guidance for standardization when evaluating new smokejumper aircraft and related accessories.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

5.26 Light Fixed-Wing Operations

Fixed-wing dispatch, ordering, and operations are accomplished in accordance with the local geographic area and National Mobilization guides.

For all non-fire flights, the [IAT Guide](#) provides the training standards for fixed-wing flight managers (FWFM) in charge of point-to-point and FWFM Special-Use mission flights. A

qualified FWFM shall be assigned to point-to-point flights and FWFM Special-Use for mission flights.

Low-level Flight Operations (Less than 500 feet AGL)

The only fixed-wing aircraft missions authorized are:

- Para-cargo.
- Aerial Supervision Module (ASM) and lead profile operations.
- Aerial retardant, water and foam application.
- Aerial Seeding/Spraying

Operational Procedures:

- A high-level recon will be made prior to low-level flight operations.
- All flights below 500 feet will be contained to the area of operation.
- PPE is required for all fixed-wing, low-level flights. Helmets are not required for multi-engine airtanker crews, smokejumper pilots and ASM flight/aircrew members.

5.26.1 Reconnaissance or Patrol Flights

The purpose of aerial reconnaissance or detection flights is to gather and relay information. In addition to detecting, mapping, and sizing up fires, this resource may be utilized to provide ground resources with intelligence, and provide recommendations to the appropriate individuals.

Only qualified Aerial Supervisors (ATGS, ASM, HLCO, and Lead) are authorized to coordinate incident airspace operations. Flights with a "Recon, Detection, or Patrol" designation should communicate with tactical aircraft only to announce location, altitude, and to relay their departure direction and altitude from the incident.

Forest Supplement: The following applies to both point-to-point travel and reconnaissance flights and is intended as information to passengers / users. Aircraft needed for fire or project work will be ordered through the dispatch center. When ordering aircraft, specify the number of passengers, expected duration of flight, mission, and destination. This should be done by the Fixed wing Flight Manager or Fixed Wing Flight Manager-Special Use. Qualifications are listed in the Interagency Aviation Training Guide.

<https://www.iat.gov/docs/IATprogram.pdf>.

If unsure of required aircraft, consult with CPC or CRC Aviation Desk or the Forest Aviation Officer. It is important to note that an aircraft may have seats for "x" number of passengers, but may not be able to carry all of the load due to performance capabilities. Ordering should be done at least a week or two in advance unless it is an emergency. Most aircraft are available on a first-come-first-service basis unless it is an emergency.

5.27 Law Enforcement and Investigations (LEI) Operations

The LEI personnel shall follow the [FSH 5309.11, Chapter 50](#), [FSM 5700](#), and [FSH 5709.16](#) for all aviation operations.

Local LEI personnel that are required to utilize aircraft to support aviation operations should discuss all aspects of the operation with the FAO or UAO well in advance of operations.

All transport of hazardous materials during LEI operations shall follow the [Interagency Aviation Transport of Hazardous Materials](#) Guide.

Rocky Mountain Regional Supplement:

Law enforcement aviation operations on occasion have special needs. Many are performed in a covert manner necessitating a departure from established standard operating procedures (SOP) detailed in other sections of this plan. Covert missions are being conducted for the purpose of establishing probable cause that a crime is or has been committed. Covert missions shall always be conducted on a need to know basis. On these missions, releasing information to the wrong person/s could jeopardize the safety of the personnel involved. At a minimum, it could result in the loss of evidence and loss of suspects and as such, departures from some SOP's are tolerated in the interest of the United States Government.

On the other hand, some law enforcement missions can be performed overtly, meaning that the mission can be performed as any other Forest Service work related mission.

Though there are Agency specific policies, or circumstances as referenced in FSH 5309.11 and the Interagency Helicopter Operations Guide (IHOG) Chapter 16 that may exempt law enforcement from some standard aviation operating procedures, it must be emphasized that an exemption in one area does not automatically exempt law enforcement users from following other standard operating practices and procedures.

When planning covert law enforcement aviation missions, the appropriate LE&I Flight Manager, Special Agent in Charge, Assistant Special Agent in Charge or Regional Patrol Commander shall be consulted to ensure compliance with guidelines and procedures as outlined in FSH 5309.11 Chapter 52 and IHOG chapter 16-3.

For Overt missions, the same notifications shall be made. In addition, notifications and consultations shall be made to the Forest Aviation Officer (FAO), and or Regional Aviation Officer (RAO).

Personnel

As stated in FSH 5309.11 Chapter 52.11a and the IHOG chapter 2-31, ensure all law enforcement aviation operations are conducted under the guidance of either a qualified Project Helicopter Manager or by a Project Flight Manager, depending on mission type and complexity. If the aircraft is provided by another government agency or the military and they are also providing the helibase management services, such as flight following, loading and unloading of personnel and cargo, or external load operations, then other qualified personnel may be utilized based on a pre-approved operations plan authorized by the Regional Aviation Officer, Regional or National approval letter, and or the Special Agent in Charge and/or their designee.

Aircraft

The majority of missions that are to be accomplished by Law Enforcement and Investigations will be covert missions. These missions will predominantly use State National Guard through a Letter of Agreement. DHS and DOJ aircraft can be utilized through an approved Letter of Authorization from the Chief's office. Overt aviation missions may be accomplished utilizing agency-owned, contracted, rented, other-government agency, or military aircraft that are carded and approved by a Letter of Agreement, or a Memorandum of Understanding (MOU) (IHOG chapter 5-3, 16-3)

Pilot Qualifications

Per FSH 5309.11 Chapter 52.13, all aircraft used to fly Forest Service law enforcement personnel must be flown by pilots who meet agency standards and possess a current form [FS-5700-20 \(Airplane\) or FS-5700-20a \(Helicopter\), Pilot Qualifications and Approval Record](#) (FSM 5700), or the equivalent interagency card issued by Office of Aircraft Services (OAS), except for aircraft operated by Department of Homeland Security (DHS) and or Department of Justice (DOJ) where Forest Service employees working to fulfill the LEI mission are hereby exempt from the requirements to only use Forest Service approved aircraft and pilots when using aircraft and pilots meeting DHS and DOJ requirements (WO letter, 2013). The Special Agent in Charge or designate will be notified prior to any LEI missions being flown in DHS and or DOJ aircraft. Use of another law enforcement agency, aircraft requires acceptance of that agency's pilot qualifications if operating under a current Letter of Agreement (LOA) or Memorandum of Understanding (MOU). For any pilot and/or aircraft not meeting these guidelines, the supervisory special agent or supervisory law enforcement officer shall request, through the regional aviation officer, to have the pilot and/or aircraft approved. Law enforcement personnel shall make every attempt to give adequate lead time to the regional aviation officer when requesting certification for a pilot and/or aircraft.

Uncarded/Unapproved Aircraft and Pilots: Reference FSH 5309.11 Law Enforcement Handbook Chapter 50-Actions and Procedures 52.15 - Emergency Operations

In certain emergency and/or covert operations, it may be necessary for personnel to ride in unapproved aircraft and/or with unapproved pilots. These situations usually involve search and rescue or medical evacuation operations being conducted by local authorities using public agency, military, commercial, or private aircraft.

Undercover, covert law enforcement situations exist where an agency employee may become engaged in an activity while operating within the normal scope of employment, which precludes utilizing carded and approved aircraft and pilots. For example, a law enforcement officer is put in a situation, while operating undercover, where the officer is required to fly in a suspect's aircraft. Law enforcement personnel are authorized to use unapproved aircraft and pilots during the covert phase of an operation providing such use when, in their judgment, it is necessary. The following policies must govern emergency situations:

1. Authorization must be given on a case-by-case basis by the supervisory special agent, supervisory law enforcement officer, or incident commander.
2. A written justification statement must be prepared by the supervisory special agent, supervisory law enforcement officer, or incident commander, attached to a [form FS-5700-14, SAFECOM; Aviation Safety Communiqué](#), and submitted to the appropriate aviation manager within 24 hours of the completion of the mission (FSM 5713.5).

CO-OP Aviation Operations

Co-op agencies conducting LE operations on National Forest System Lands are not required to notify the Forest Service of the flight activity. However, Law Enforcement and Investigations will encourage cooperative agencies conducting law enforcement operations on or over National Forest System lands to notify the Special Agent in Charge or supervisory law enforcement officer prior to the mission(s) taking place. FSH 5309.11 Chapter 50 (52.16).

Flight Following

Adhere to the flight following check-in procedures (FSH 5709.16, sec. 33) except when conducting covert operations where the need for secure communications is essential. In these situations, utilize the following procedures:

1. Grid map reference check-ins. The flight plan must be inserted into a sealed envelope and must be opened by the dispatcher only in the event of an aircraft emergency or failure to check-in with normal specified timeframes. Flight check-inspections are performed utilizing coded grid references rather than geographical location descriptors.
2. Flight following through another agency. Flight following may be performed by another agency (for example, Department of Defense, National Guard facility or Sheriff's office).
3. Automated Flight Following (AFF). Flight following via an automated reporting satellite system is highly recommended, since no voice communication is necessary.

5.27.1 Special Law Enforcement Aviation Projects

Occasionally there are “special” law enforcement aviation missions that are not covered in a standard PASP. If any proposed flights are not covered by an appropriately established aviation plan, then a PASP will be prepared. This includes the use of aviation resources for Flight Service Contracts. The responsible individual will prepare a PASP and submit the plan for review and approval. All LEI operations will have a PASP prior to commencing operations. Line officers shall be informed of law enforcement and investigator non-covert aviation activities within their area of responsibility.

5.27.2 LEI Training

LEI personnel involved with aviation activities shall receive and be current in required aviation training (NWCG and/or IAT) commensurate with the aviation position they will fill, prior to any aviation operations.

Rocky Mountain Regional Supplement:

Law enforcement operations routinely use aircraft, usually helicopters. Aviation safety is a primary concern of management and therefore specific specialized training is warranted. The courses below represent the minimum training each USFS Law Enforcement Officer must complete prior to operations utilizing aircraft. Everyone associated with aviation operations should complete A-100.

A-100 (Basic Aviation Training) located at: <https://www.iat.gov/Training/modules/a100/>

For those LE officers who will be performing duties on the aircraft additional training is required to include:

Aircrew Member

In addition to A-100, the following is required:

- A-110 Aviation Transport of Hazardous Materials (on-line)
- A-116 General Awareness Security Training (on-line)
- A-200 Mishap Review (on-line)

Aircrew Member that may work with long-line operations

Meet the aircrew member requirements and additionally attend

- A-219 Long line training

5.27.3 Civil Air Patrol (CAP)

A new Memorandum of Agreement (MOA) is being developed between the USFS and CAP. It will restrict use of CAP to LEI only and limit the make and model of aircraft that can be used. Regions will approve CAP pilots and aircraft based on the MOA. LEI personnel will utilize aircraft and pilots that have been approved for use by a letter of approval from the Regional Aviation officer.

Not all CAP pilots and/or aircraft will be approved for use. Aircraft contracted for fire/resource operations are not mandated to participate in LEI operations. Aircraft companies must agree to participate in LEI operations. Missions outside of the scope of the contract require a contract modification.

Certain LEI operations could lead to actions in conflict with Forest Service policy; reference Section 5.5 Aviation Emergency Response.

Rocky Mountain Regional Supplement:
CAP utilization must be authorized by the Regional Aviation Officer prior to use where USFS personnel are boarding the aircraft with the intention of flight.

5.27.4 Department of Homeland Security (DHS)

The Chief has issued a letter of Authorization for Law Enforcement and Investigations Employees to Fly on Department of Justice (DOJ) and Department of Homeland Security (DHS) Aircraft ([Appendix 10.3](#)) while performing joint law enforcement operations and missions coordinated with DHS agencies.

5.27.5 LEI Personal Protective Equipment (PPE) During Tactical Operations

Follow the direction on the use of personal protective equipment (PPE) described in the [Interagency Helicopter Operations Guide \(IHOG\) \(NFES 1885\)](#). Approved PPE must be prescribed by the incident commander, operations supervisor, or their designee per [FSM 5300](#). Law enforcement personnel are authorized to wear the following for special tactical operations, for emergency flights, or on flights that are short in duration:

- Battlefield dress uniform (BDU),
- Forest Service uniform, or
- Approved utility uniform.

5.27.6 Emergency Operations

The LEI personnel shall follow the [FSH 5309.11, Chapter 52.15 – Emergency Operations](#)

Regional Supplement

Rocky Mountain Regional Supplement:
Document any policy deviations in the SAFECOM system: www.safecom.gov.

Forest Supplement

Law Enforcement Flights

1. As with any aviation operation, agency employees and contractors have the right and responsibility to turn down a law enforcement mission if they feel it is too dangerous, even if it has received prior approval.
2. Aviation law enforcement support activities (those activities completed after a location is secured by law enforcement personnel) will be completed in compliance with the MBRTB National Forest's Law Enforcement Support Project Aviation Safety Plan.

5.28 Unmanned Aerial Systems (UAS)

National and Regional Fire and Aviation Management recognizes the potential for increased Unmanned Aerial System operations and that that establishing a program is critical.

UAS operating in the national airspace system are considered by the Federal Aviation Administration (FAA) as aircraft, regardless of size; therefore, UAS executing FS missions are required to adhere to FAA requirements and Forest Service policy. These requirements are similar to manned aircraft in terms of pilot training, currency and certification, airworthiness approval, avionics, and operational restrictions.

The agency UAS Operations Guide is currently under development and will be widely distributed when finalized. Since this program is new to the FS, Fire and Aviation Management intends to proceed cautiously.

While UAS program-related policy ([FSM 5713.7](#)) and integration matures, any planned use (including through agreements), acquisition proposals (FSM 5708), or leasing proposals need to be coordinated with the appropriate Regional Aviation Officer and with Washington Office, Fire and Aviation Management UAS Program Manager.

Forest Service requests to the FAA for UAS Certificates of Waiver or Authorization (COA) will be coordinated through the Washington Office, Fire and Aviation Management UAS Program Manager. Other agencies that have received a COA from the FAA can be considered Cooperator aircraft ([FSM 5710.35](#)). UAS operated by cooperators (including the military) in support of Forest Service missions are subject to the approval requirements in [FSM 5713.7](#) and shall meet additional requirements established in the [FSM 5713.43](#).

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

5.29 Forest Health Protection (FHP) Operations

FHP utilizes light fixed and rotor wing aircraft to conduct aerial reconnaissance, aerial photography and aerial application. The purpose of these operations is to gather information regarding forest health conditions and manage pests in accordance with [FSM 2100](#) and [FSM 3400](#).

All FHP aviation operations should be coordinated with the appropriate Regional Aviation Officer. Dispatch, ordering, and operations are accomplished in accordance with the local geographic area and [National Mobilization Guide](#) and the [Interagency Helicopter Operations Guide \(IHOG\)](#).

For all non-fire flights, the [IAT Guide](#) provides minimum training standards for fixed-wing flight managers (FWFM) in charge of point-to-point and FWFM Special-Use mission flights. Additional training required by FHP and the FWFM Special-Use Aerial Survey Observer Task Book are available at www.fs.fed.us/foresthealth/aviation/training.shtml. All aerial reconnaissance and photography mission flights shall utilize a qualified FWFM Special-Use for fixed wing and qualified Helicopter Manager for rotor wing. Agency personnel are not permitted on board restricted category aerial application aircraft and full PPE is required for aerial application pilots operating low level.

5.30 Aerial Firefighting Use and Effectiveness (AFUE) Study Operations

In 2012, the Aerial Firefighting Use and Efficiency (AFUE) Study was initiated by Washington Office Fire and Aviation Management. The objectives of the study include developing and implementing performance metrics to analyze the use of aerial assets that have the ability to deliver water or wildland fire chemicals to meet incident objectives. Operational data collection occurs through dedicated ground and aerial resources.

The aerial component of this study will film aerial firefighting aircraft (airtankers, helicopters, and water scoopers) drops using infrared/electro optical technology thereby supporting the additional objectives of (1) evaluating aircraft drop effectiveness while it attempts to support incident objectives and (2) evaluating the characteristics of aircraft delivery systems.

The primary aviation platform will be a contracted fixed-wing, pressurized aircraft with up to two (2) Forest Service personnel on board filling the flight manager, aerial supervisor, sensor operator, or aerial observer rolls. Additional contracted or government-owned aircraft may be utilized for the AFUE operational data collection mission.

The aircraft will primarily operate on an incident as an observation/imaging platform or, on a limited basis, as a combination-Air Tactical Group Supervisor (ATGS) and observation/imaging platform. Regardless of which role the aircraft is executing, the sensor operator must be trained and have experience in operating the aircraft's sensor system and gathering data.

5.30.1 Incident Airspace De-confliction

When an AFUE aircraft is assigned to an incident, airspace de-confliction shall be conducted with aerial supervision aircraft, other incident and non-incident aircraft, and, when necessary, air traffic control (ATC).

A non-ATGS AFUE aircraft responding to an incident will remain clear of the [Fire Traffic Area \(FTA\)](#) and clear of any established, incident-related Temporary Flight Restriction (TFR) area unless the incident's aerial supervisor provides: (1) an altimeter setting, (2) a clearance to enter the respective area, and (3) an altitude to maintain until further notice.

If no aerial supervisor is present during the initial attack phase of an incident, AFUE aircraft will remain at a minimum of 7,500 feet above ground level (AGL) and clear of any established, incident-related TFR.

Note: Remaining at or above 7,500 feet AGL will provide approximately 5,000 feet of separation between the AFUE aircraft and the minimum FTA ATGS orbit ceiling. AFUE aircraft will request a clearance from the appropriate Air Route Traffic Control Center (ARTCC) in order to operate in Class A airspace (18,000 feet MSL and above).

6.0 Aviation Training

6.1 Aviation Training for All Flight Activities and Positions

Aviation training is essential to aircraft pilots (both contract and employee), aviation users, supervisors, and managers to ensure that they are knowledgeable of the inherent hazards of aviation operations. The Forest Service Aviation Training Program is a "fire" and "non-fire" system. The [National Wildland Coordinating Group PMS 310-1](#) and [Forest Service Fire and Aviation Qualifications Guide](#) directs the fire qualifications ([FSH 5109.17](#)), while the [Interagency Aviation Training Guide](#) regulates the "non-fire" qualifications. Personnel serving in NWCG positions need only meet the qualification and currency requirements required in [Forest Service Fire and Aviation Qualifications Guide](#) / [PMS 310-1](#) or other interagency guidance as appropriate (Smokejumper Spotter, [Interagency Aerial Supervision Guide \(IASG\)](#), etc.).

The objectives of selection, recruitment, development and training are to improve safety, quality and efficiency by placing employees in jobs to which they are suited and qualified. Although this concept is obvious, it is fundamental at all levels within an agency and worthy of emphasis. The appropriate experience and training requirements for safety-related posts much be defined, monitored and recorded.

Regional Supplement

No Supplement.

Forest Supplement: The Forest Aviation Officer is responsible to ensure all Forest personnel assigned to aviation related duties are fully qualified.

Employees involved in Wildland Fire Aviation Activities (Suppression, Prescribed Fire, etc.) will adhere to the NWCG 310-1 training and certification standards and any additional requirements specified in FSH 5109.17,

Non-fire aviation users, managers, and supervisors will adhere to the Interagency Aviation Training (IAT) requirements and standards that the USFS adopted as policy in 2005. Those requirements may be reviewed at www.iat.gov.

A Helicopter Operations Refresher is held annually, sponsored by the Wyoming Helitack. In addition to meeting the IAT requirements for the position, the Forest Aviation Officer should have a thorough knowledge of applicable federal aviation regulations, agency aviation policy, and the components of an agency aviation safety program

6.2 Responsibility

The Washington Office, Branch Chief, Aviation Safety Management Systems is responsible for national oversight of the aviation safety education program and aviation accident prevention efforts ([FSM 5720.45](#)).

It is management's responsibility to provide training and career development opportunities to personnel under its control, to expand, improve, correct deficiencies, or meet job performance requirements.

It is every employee's responsibility to take advantage of aviation training opportunities and to notify their supervisor of any aviation training they believe they require for accomplishing their jobs safely and efficiently.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

6.3 Instructor Standards

Aviation trainers provide specialized training in many aviation job skills, e.g., helitack, aerial attack, SEAT management, air tanker base management, aerial ignition, rappel, and helicopter management. The Interagency Aviation Training (IAT) guide identifies position training requirements for non-fire aviation functions. Specialized training courses can be accessed on the IAT website at: <http://iat.nifc.gov/online.asp>.

Personnel serving in NWCG instructor positions need to meet the qualification and currency requirements in [Forest Service Fire and Aviation Qualifications Guide](#) and the [PMS 901-1 Field Manager's Course Guide](#).

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

6.4 Records Management

All employee training records shall meet the requirements stated in the [Forest Service Fire and Aviation Qualifications Guide](#) for all NWCG qualifications. All training records for non-fire qualifications (IAT) shall either reside with the Training Officer or the Forest Aviation Officer.

Each operating unit needs to develop and implement plans for the identification of initial and recurrent aviation training needs specific to its missions.

Areas of aviation training are:

- Orientation and basic aviation safety for all users
- Flight Manager Training
- Dispatching and flight-following procedures
- Management of aviation operations and equipment
- Planning, risk assessment and execution of projects using aviation resources
- Proficiency and special mission training for pilots
- Technical training on aviation equipment and aircraft maintenance
- Advanced safety management systems (SMS) and quality assurance for aviation professionals and specialists

Regional Supplement

No Supplement.

Forest Supplement: All employee training records will be maintained at the District level by the DFMO for most fire and aviation personnel, and at the Forest Supervisor's Office under the Forest FMO / Aviation Officer for SO employees.

6.5 Tuition and Travel

Forest Service management is dedicated to conducting or providing for professional and technical training of employee or contract personnel at all levels of the organization that use and/or influence the use of aviation resources. Supervisors are to provide adequate levels of funding for the tuition and travel to attend training that will maintain aviation personnel currency and advance their skills.

Regional Supplement

No Supplement

Forest Supplement

No Supplement.

6.6 Development

The Forest Service encourages development of interested personnel who desire to pursue an aviation career path. Developmental positions (e.g., Regional Aviation Management Specialists) and all positions that have aviation operations responsibility are encouraged to attend [Aviation Safety Management Systems](#)-related training.

Regional Supplement

Rocky Mountain Regional Supplement:

Aviation for the USFS has a long established deficit of qualified individuals with the training and experience necessary to manage a program that is evolving rapidly. Many resources are available to aid in advancing competencies, but are underutilized in a large part due to confusion over what is required. The methodology presented below is designed to give employees a core aviation training to be competitive in their career development in the USFS, its interagency partners and private industry. The curriculum is predicated on existing programs and courses offered thru the Interagency Aviation Training (IAT), the NTSB, the FAA and accredited colleges. Regardless of your aviation aspirations, all employees with any nexus to aviation should complete the basic aviation training course A-100. For those wishing to enter the “phases” A-100 is required as well.

A-100 (Basic Aviation Training) located at: <https://www.iat.gov/Training/modules/a100/>

PHASE 1 *Complete the Interagency Aviation Training (IAT) Requirements for Aviation Manager*

Online Courses – www.iat.gov

A-103 FAA NOTAM System
Security Training

A-116 General Awareness

A-107 Aviation Policy and Regulations 1

A-200 Mishap Review

A-110 Aviation Transport of Hazardous Materials
Organizations

A-202 Interagency Aviation

A-111 Flight Payment Document

A-203 Basic Airspace

A-112 Mission Planning and Flight Request Process
Limitations

A-204 Aircraft Capabilities and

A-115 Automated Flight Following
Inspection

A-218 Aircraft Pre-use

Classroom and Webinar only at this time – check the calendar at www.iat.gov

A-205 Risk Management 1

A-208 Aircraft and Pilot Approval

A-302 Personal Responsibility and Liability

A-303 Human Factors in Aviation
A-305 Risk Management 2
A-306 Aviation Contract Administration Parts 1 and 2 (COR Currency equivalent)
A-307 Aviation Policy and Regulations 1
A-311 Aviation Planning

PHASE 2 Ensure you have training in the following areas:

Basic Aviation Accident Investigation
Human Factors
Risk Management
Aviation Safety Program Management
Legal Aspects of Aviation

Prior SSLAM or AAMT participants would have most of these requirements completed. Working with the RASM you can identify gaps in order to finish preparing for Phase 3.

PHASE 3 *Experience, mentoring and earning an ICAP certificate*

With Phase 2 completed you will be mentored on future training and detail opportunities to help you gain the experience for eventual application to the Interagency Committee for Aviation Policy (ICAP) for the Federal Aviation Safety Officer (ASO) Certificate.

Detail opportunities could include but are not limited to Aviation Management jobs such as:
Forest Aviation Officer
Helicopter Operations Specialist
Fixed-wing Operations Specialist
Regional Aviation Officer
Regional Aviation Safety Manager
Etc...

This will gain you the experience to complement your education. Reference the following links for additional information on the ICAP Federal Aviation Safety Officer Certificate:

<http://www.gsa.gov/portal/content/100061>
[Application For The ICAP Federal Aviation Safety Officer Certificate](#)

PHASE 4 *Professional Development/Continuing Educational opportunities*

With your first three phases completed, your Independent Development Plan (IDP) can reflect your interest in more in depth aviation training. Examples of this may be for instance the NTSB Aircraft Accident Investigation course or a similar course thru the FAA. Other courses are offered on-line thru colleges. A well-managed phase 4 will not only prepare you to work at a high level for the Government, but will also make you competitive in the in the ever emerging aviation private sector.

The Forest Service Washington Office has established a scholarship program to promote continuing development of aviation professionals through accredited college curricula. This scholarship program is described in the attached paper on Continuing Development.

Forest Supplement: The forest/district will provide opportunities for employee development and growth within the confines of the organization at the Forest level. These principles must be applied without bias or prejudice.

6.7 IAT/NWCG Crosswalk

NWCG/Forest Service Fire and Aviation Qualifications Guide	IAT Resource Qualifications
HECM	Aircrew Member
ACDP	Aircraft Dispatcher
AOBD, ASGS, ATGS	Aviation Manager
AOBD, ASGS, ATGS, HLCO	Fixed-Wing Flight Manager –Special Use
HMGB	Helicopter Manager-Resource
AOBD, ASGS, HEB1/2	Project Aviation Manager
AOBD	Supervisor

The positions listed in the NWCG / [Forest Service Fire and Aviation Qualifications Guide](#) Qualifications column will crosswalk into the non-fire IAT Resource Qualifications.

If individuals do not meet the NWCG / [Forest Service Fire and Aviation Qualifications Guide](#) Qualifications (above), they shall follow the training requirements found in the IAT Guide in order to conduct/oversee non-fire resource aviation operations.

Regional Supplement

No Supplement

Forest Supplement

No Supplement.

6.8 Aviation Contracting Officer Representative (COR) Requirements

Aviation COR's must meet initial training and maintenance requirements as stipulated in Agency Acquisition Regulations (AGAR).

Regional Supplement

Rocky Mountain Regional Supplement: To become certified as an Aviation COR (level III) you must complete 60 hours of formal (classroom) COR training. To maintain COR

qualifications you must complete 40 hours of training every other year. This training can be classroom, online, or a combination of both.

Below is a link to COR training information and some approved on-line COR training to help you maintain your qualifications:

<http://fsweb.wo.fs.fed.us/aqm/pros/cor.php#req>

Forest Supplement: CORs must maintain documentation of all training, enter data in FAITAS and designate Project Inspectors.

6.9 Crew Resource Management (CRM) Training

Refer to the [National Incident Management System Wildland Fire Qualification System Guide, PMS 310-1](#), and [Forest Service Fire & Aviation Qualification Guide \(FSFAQG\)](#) in order to determine which aircrew positions require N9059-Crew Resource Management 7 Skills training.

7.0 Airspace Coordination

7.1 Interagency Airspace Coordination

Interagency airspace coordination is accomplished through the Interagency Airspace Steering Committee (IASC) chartered under the National Interagency Aviation Council (NIAC). Guidance and education is provided through the [Interagency Airspace Coordination Guide](#).

Regional Supplement

Rocky Mountain Regional supplement: Refer to the Rocky Mountain Area Interagency Mobilization Guide, Chapter 20.

7.2 Fire Traffic Area (FTA)

The FTA provides a standardized initial attack sequence structure to enhance air traffic separation over wildfire or all-hazard incidents. The structure emphasizes established communications, clearances and compliances. The FTA process will be used by all tactical aircraft. The local dispatch center will be the initial point of contact for aviation resources approaching and departing the FTA when no aerial supervision is in place. If aerial supervision is not on scene, the first responding aircraft must establish / control the FTA until aerial supervision arrives, as specified in the Interagency [Interagency Aerial Supervision Guide \(IASG\)](#).

Regional Supplement

No Supplement

7.3 Temporary Flight Restriction (TFR)

In order to enhance safety during an incident, the FAA may be requested to issue a TFR that closes the airspace to non-participating aircraft (with some exceptions). While there are currently nine different types of TFR's, the most commonly issued TFR for wildfire is [14 CFR 91.137 \(a\) 2](#) which is explicit as to what operations are prohibited, restricted, or allowed. Aviation Managers requesting a TFR should be familiar with the ordering procedures, coordination protocol and exceptions that are outlined in [Chapter 6](#) of the [Interagency Airspace Coordination Guide](#).

Regional Supplement

Rocky Mountain Regional Supplement:

Refer to the Rocky Mountain Area Interagency Mobilization Guide, Chapter 20.

Forest Supplement: When it becomes necessary to restrict nonparticipating aircraft from the area of aviation operations, an IC, Project Manager, Dispatch Center Manager or Forest Aviation Officer may request the air closure. The Rocky Mountain Area Coordination Center will coordinate with the FAA. The normal closure is 2,000 feet AGL and a 5-mile radius from center of the fire. A legal description, VOR coordinates and Latitude and Longitude will be necessary for closure. Reconnaissance flights will be at least 2,000 feet above maximum elevation of air tanker during air tanker drops and will remain 1,000 feet above terrain during helicopter operations. Communications will be established during any operation and be maintained by both aircraft. If a lead plane is with the air tanker, the lead plane will have control responsibility.

7.4 Aircraft Transponder Code (Firefighting)

The FAA has provided the 1255 Transponder code as the national designation for firefighting aircraft. It is not agency specific. The code should be utilized by aircraft responding to and operating over fire incidents supporting suppression operations (unless otherwise directed by Air Traffic Control (ATC)). It is not to be used for repositioning or during cross-country flights.

Regional Supplement

No Supplement

Forest Supplement

No Supplement.

7.5 Airspace Boundary Plan

When resources are dispatched by more than one unit to an incident that shares a common boundary, care should be taken to ensure safe separation and communication of

responding aircraft. Boundary Plans should be prepared that focus on a 10 NM wide “neutral airspace” corridor for mutual or exchanged initial attack area’s or zones.

Rocky Mountain Regional supplement:

Refer to the Rocky Mountain Area Interagency Mobilization Guide, Chapter 20.

7.5.1 International Airspace Boundary – Mexico

Aircraft entering Mexican airspace must follow established protocols and communicate mission details to the appropriate Interagency Dispatch Center. Aircraft must not enter Mexican airspace without consent from the coordinating authorities and concurrence from the identified aerial supervision. Permission must be received from National Forestry Commission of Mexico (CONAFOR) prior to entering Mexican airspace.

7.5.2 International Airspace Boundary – Canada

Aviation operations across the U.S.A./Canada border must be conducted in accordance with The Canada/United States Reciprocal Forest Fire Fighting Arrangement (NMG chapter 40) or the normal US Customs and Border Protection procedures. Flights must follow protocol established by the respective coordinating authorities and involve the appropriate Dispatch Center. Such flights usually require prior notification, special tracking procedures and an understanding of the mutually agreed upon operating parameters.

Regional Supplement

No Supplement

Forest Supplement

No Supplement.

7.6 Airspace De-confliction

Airspace de-confliction can occur for both emergency response and non-emergency aviation activities.

De-confliction can be accomplished through the following measures:

- Pilots must obtain all information pertinent to flight before flying. This is accomplished by obtaining a briefing from the FAA through the Flight Service Stations. This is the official source of NOTAM information.
- Dispatching units may obtain scheduling information from DoD units that have Special Use Airspace or Military Training Routes and share this information as “hazards” information on the Resource Order when the aircraft is dispatched. For non-emergency flights, information may be shared through common communication protocol.
- Aviation Internet websites are prolific on the internet. When used for obtaining airspace information, the user must be aware of any disclaimers regarding the

timeliness of the information posted. The FAA's US NOTAM office provides current TFR information through DINS (DoD Internet NOTAM Service) at <https://www.notams.faa.gov>.

Regional Supplement

Rocky Mountain Regional supplement:

Refer to the Rocky Mountain Area Interagency Mobilization Guide, Chapter 20.

7.7 Airspace Conflicts

Aviation personnel have a responsibility to identify and report conflicts and incidents through the [Interagency SAFECOM \(Safety Communication\) System](#) to assist in the resolution of airspace conflicts. When a conflict or incident occurs, it may indicate a significant aviation safety hazard. Conflicts may include Near Mid Air Collisions (NMAC), TFR intrusions, and FTA communication non-compliance. Further guidance is available in [Chapter 8 of the Interagency Airspace Coordination Guide](#).

Regional Supplement

Rocky Mountain Regional supplement:

Refer to the Rocky Mountain Area Interagency Mobilization Guide, Chapter 20.

Forest Supplement:

[Hazard Maps](#)

1. Large, up-to-date aircraft hazard maps will be maintained at Casper and Craig Dispatch Centers.
2. Pilots will be briefed on any hazards in the mission area, prior to takeoff.

7.8 Airspace Agreements – Memorandums of Understanding

When Special Use Airspace (SUA's), Military Training Routes (MTR's), Slow Routes (SR's), or Aerial Refueling Routes (AR's) are located over lands within an agency's jurisdiction or within their area of normal flight operations (fire or non-fire), the agency should consider instituting an agreement with the appropriate DoD entity that schedules the airspace. Airspace agreements establish protocol for emergency and non-emergency contacts. They provide local level leadership a tool that defines protocols to address recurring activities, coordination of time critical responses, deconfliction and resolving issues in a timely manner. Initiation of an agreement can begin by contacting the Military Representative to the FAA located at FAA Service Centers, Air Force Representative, Navy Representative, and Department of Army Representative. A template and sample format is provided in [Chapter 12 of the Interagency Airspace Coordination Guide](#).

Regional Supplement

Rocky Mountain Regional supplement:

Refer to the Rocky Mountain Area Interagency Mobilization Guide, Chapter 20.

Forest Supplement

No supplement.

8.0 Aviation Security

8.1 Aviation Security

The policies and procedures in this chapter when implemented are intended to make the theft of FS aircraft more difficult and time consuming and therefore reduce the threat to our facilities from criminal elements.

The FS will provide an aviation security program that will include:

- Aviation facilities and aircraft security standards
- Aviation security measures that respond to alerts of the Homeland Security National Terrorism Advisory System (NTAS)
- Quick response emergency procedures

Regional Supplement

No Supplement

Forest Supplement

No Supplement.

8.2 FS Facilities Security Risk Assessments

Each Forest Service aviation facility must complete a risk assessment on a timeline based on its Facility Security Level (FSL) to determine the security standard. The FSL can be determined using the document Facility Security Level Determinations for Federal Facilities, An Interagency Security Committee Standard.

The risk assessment must include an analysis of:

- The vulnerability level of the facility, which is any weakness in the design or operation of a facility that can be exploited by an adversary.
- The probability of threat, or the likelihood of an undesirable event occurring over time.
- The severity of event consequences, which is the level, duration, and nature of the loss resulting from an undesirable event.

Reference the [FSH 5709.16 Chapter 60](#) for the FS Risk Assessment.

Regional Supplement

No Supplement

Forest Supplement

No Supplement.

8.3 FS Security Response Actions

The objective is to ensure that the FS is prepared to increase security standards at agency aviation facilities in response to an alert of the Homeland Security National Terrorism Advisory System.

It is FS policy to immediately adjust the level of aviation security any time an NTAS Alert is issued for the facility.

Regional Supplement

No Supplement

Forest Supplement

No Supplement.

8.4 General Aviation Security Awareness Programs

RESERVED

Regional Supplement

No Supplement

Forest Supplement

No Supplement.

8.5 Aircraft Security Information (Cooperators)

The security of cooperator provided aircraft and equipment is the responsibility of the cooperator.

Regional Supplement

No Supplement

Forest Supplement

No Supplement.

8.6 TSA Commercial Airport Security

Commercial airport security requirements can be found at the [Transportation Security Administration \(TSA\)](#) web site.

9.0 Aviation Facilities

9.1 General

All facilities managers are responsible for providing aviation facilities, within their respective area, that are safe, adequate, and are in compliance with applicable Forest Service regulations.

Regional Supplement

No Supplement

Forest Supplement

No Supplement.

9.2 Permanent Aviation Facilities

These facilities (helibases, retardant bases, and airport facilities) are permanent installations (owned and leased) and are used on a continuous or seasonal basis for aviation operations. These include aviation facilities on Forest Service property and facilities on non-Forest Service land where Forest Service has primary responsibility for operations, maintenance, and oversight. Facility base reviews shall be conducted in accordance with the [Interagency Helicopter Operations Guide \(IHOG\), Appendix E](#); [Interagency Airtanker Operations Base Guide \(IATOBG\), Chapter 5 Section B](#); and [Interagency Standards for Fire and Fire Aviation Operations, Chapter 18](#).

Regional Supplement

No Supplement

Forest Supplement

No Supplement.

9.3 Temporary Aviation Facilities

Temporary bases are sites that are used on a temporary or intermittent basis (helispots and remote airstrips). Sites not located on Forest Service land must be pre-approved and use shall be documented in an Agreement. Each site should be cataloged as to location, description, local hazards, use procedures, agreements, and contacts. Preseason inspection and maintenance should be completed as necessary to meet agency safety requirements.

Regional Supplement

No Supplement

Forest Supplement: There are some temporary single-ship helibases located across the Forest Service at Administrative Sites. Temporary helispots/helibases will operate in accordance to the Interagency Helicopter Operations Guide (IHOG), Chapter 8 Helicopter Landing Areas.

9.4 Safety

Aviation facilities must comply with safety regulations outlined in Forest Service manuals, guides, handbooks, and the Occupational Safety and Health Act (OSHA).

Regional Supplement

No Supplement

Forest Supplement

No Supplement.

9.5 Agency Owned/ Operated Facilities

Refer to the [Building and Facilities Related Handbook FSH 7309.11](#) for information regarding:

- Planning
- Development
- Management
- Special-Use Facilities
- Records and Reports

Regional Supplement

No Supplement

Forest Supplement

No Supplement.

9.6 Agency Owned/Operated Airstrips

RESERVED

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

9.7 Leasing

Leased facility needs can be met through the Acquisition Management (AQM) organization, either via lease or grants and agreements. These are more fully described on the AQM website: <http://fsweb.wo.fs.fed.us/aqm/>. Facilities can also be acquired on Government-owned land by means of land exchanges.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

9.8 Funding

RESERVED

Regional Supplement

No Supplement

Forest Supplement

No Supplement.

9.9 Land Use Agreements

Simplified acquisition procedures should be used to acquire the use of property or facilities for emergency incidents. Emergency incident agreements do not require special leasing authority. Procurement officials with warrant authority may enter into these agreements. More detailed information is available in the [Interagency Incident Business Management Handbook, Chapter 20](#).

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

9.10 Facilities Security

All sites will be provided with appropriate physical security measures commensurate with the risk of loss of operating capability, irreplaceable data, or expensive property ([FSH 7309.11, 41.2](#)).

- Equip all buildings with locks. The keys shall be managed by the facility manager or other individual designated by the line officer. Where emergency access by non-unit personnel is necessary for fire management and other common occurrences, use master locks.
- Install signs and fences and/or provide other physical deterrents to warn and retard entry to all remote sites containing vulnerable operations such as telecommunications and research projects. Consider maintainability in the design of fences in areas subject to heavy snow, ice, and wind conditions.
- Restrict entry of unauthorized personnel into operations such as flammable, chemical and pesticide storage rooms or buildings, explosive storage facilities, computer rooms, biologically sensitive and controlled-environment areas, and others as the facility manager and policy deem necessary.

Refer to [Chapter 8](#) in the National Aviation Safety and Management Plan and [FS Manual 5709.16 Chapter 60, Aviation Security](#) for additional facilities security.

Regional Supplement

No Supplement.

Forest Supplement

No Supplement.

10.0 Appendix

10.1 Sample Letter of Cooperator Approval

RESERVED

10.2 Cooperator Approval Guide

RESERVED

10.3 Authorization for Law Enforcement and Investigations Employees to Fly on Department of Justice (DOJ) and Department of Homeland Security (DHS) Aircraft



Forest
Service

Washington
Office

1400 Independence Avenue, SW
Washington, DC 20250

File Code: 5300/5700

Date: May 20, 2013

Route To:

Subject: Authorization for Law Enforcement and Investigations Employees to Fly on
Department of Justice (DOJ) and Department of Homeland Security (DHS)
Aircraft

To: Director, Law Enforcement and Investigations

This letter will permit Forest Service (FS) Law Enforcement & Investigations (LEI) employees on official duty to fly aboard Department of Justice (DOJ) and Department of Homeland Security (DHS) owned and operated aircraft while performing joint law enforcement operations and coordinating missions with the respective agencies.

Agreements with DOJ and DHS regarding joint law enforcement aviation operations should be used to provide overall operational requirements and procedures for all agencies.

This letter specific to DOJ and DHS owned and operated aircraft used by FS LEI employees on official duty will meet the intent of FS Manual (FSM) 5704.9 which requires that all FS employees "shall fly only in approved government (refer to Government Aircraft definition in FSM 5705) aircraft flown by an approved pilot(s)."

The FS law enforcement program has unique mission requirements and a need for close interagency coordination and cooperation with the DOJ and DHS.

Field-level LEI employees are required to notify the Regional Special Agent-in-Charge and Washington Office employees the Director of LEI, when using this approval.

The Director of LEI is responsible for ensuring overall employee safety under this exemption.

This letter rescinds the Flight Authorization on Department of Homeland Security Aircraft letter dated May 20, 2008.

/s/ **James E. Hubbard**

JAMES E. HUBBARD

Deputy Chief, State and Private Forestry

cc: Robert A Baird, Dan Olsen, Ron Hanks, John A Nelson, Thomas A Cook, Tom Harbour,
Ezequiel N Parrilla, Caleb A Berry



America's Working Forests – Caring Every Day in Every Way

Printed on Recycled Paper



10.4 Project Proposal Template

Note: The template begins on the following page.



United States Department of Agriculture

**USDA Forest Service
Fire & Aviation Management
Aviation Division**

**PROJECT or PROGRAM or ISSUE
PROPOSAL NAME**



Forest Service

Month 20XX

Table of Contents

1. General Process Information.....	
2. Introduction	
2.1 Problem Statement.....	
2.2 Background	
2.3 Challenges	
2.4 Objective(s)	
2.5 Deliverables	
3. Proposed Method.....	
3.1 Requirements	
3.2 Technology	
3.3 Implementation Method	
3.4 Risk and Quality Assurance.....	
4. Expected Project Results	
4.1 Performance Measures	
5. Action Plan and Timeline	

1.0 General Process Information

This Project, Program, Issue Proposal Template (PPT) is included in the National Aviation Safety and Management Plan (NASMP).

Utilize the PPT when proposing the following:

- New equipment, e.g., aircraft, parachute, etc.
- New contractor contract change, e.g., VLAT, LFS Helicopter, etc.
- New agreement or MOUs.
- New process or changed process, e.g., rappel standardization, RADS, etc.
- Deviation from standards, e.g., LEI exemption, etc.
- New or changed policy, e.g., doctrinal policy changes, 100 hr, turbine single engine, etc.
- New or changed procedure, e.g., rappel procedures.
- New program, e.g., UAS, etc.

Questions regarding the PPT and development of a proposal should be directed to the Branch Chief, Aviation Business Operations, 202-205-0974.

Completed PPTs will be forwarded to the Branch Chief, Aviation Business Operations by email. Call the number above to get a current email address.

The project, program, issue proposal process will follow steps outlined in Section 3.3 of the NASMP.

2.0 Introduction

*Summarize briefly the problem/issue, project objective(s), and expected benefit(s) and cost of the proposal. Is the problem/issue an entire system or a sub-system element?*¹

2.1 Problem Statement

Describe the problem/issue in terms of system or sub-system.

What does the problem/issue affect (who and/or what)? What are the impacts (safety, cost, risk, lack of standardization, etc.) of the problem/issue?

¹ A system is an integrated set of integral elements that are combined in an operational or program to accomplish a defined objective. These elements include personnel, aircraft, facilities, technology, facilities, human factors, operations, procedures, equipment, services, and other components. Sub-systems are integral to the operation and function of the system. E.g. performance, capability and specialized equipment for the mission would be sub-systems of an aircraft system.

2.2 Background

Describe the background information about the project. Provide only factual information, observations or opinions should be noted as such.

2.3 Challenges

Describe the known challenges of the existing system or sub-system to be addressed by the project.

2.4 Objective(s)

Identify specific and measurable objectives of what the project is anticipated to achieve. Identify any anticipated changes in the system or sub-system.

2.5 Deliverables

Identify the tangible and verifiable product or service that meets the objectives stated above.

3.0 Proposed Method

Describe and define the technical and/or non-technical aspects of the proposal. This section should include a description of the methodology to be used to complete the project, a specific plan for gathering requirements, design requirements, information technology requirements best practices for implementation, and quality assurance.

3.1 Requirements

Describe the requirements for the proposal. Requirements are quantifiable functional and technical needs of the proposal. Include diagrams or charts to visually display the information if applicable.

3.2 Technology

Describe any technology required to implement the project. Describe hardware, software, or network components as relevant and as understood at this time. Include diagrams or charts to visually display the proposed system components and the relationships between them.

3.3 Implementation Method

Describe your methodology for implementation, including best practices.

3.4 Risk and Quality Assurance

Describe the potential risks (financial, business, cultural, operational, safety, etc.) related the project.

Describe the examples of quality assurance that would be used to mitigate risks.

4.0 Expected Project Results

Using the objectives and deliverables listed in section 1 describe the technical, operational, cultural and behavior changes the project would implement.

4.1 Performance Measures

Complete the Performance Measure table below based on the objectives of the project. Describe an assessment plan to monitor Performance Goals over time.

Metric #	Year Initiated	Performance Baseline	Performance Goal	Actual Result
1	2014	The status quo needs 345 hours consuming 207 thousand gallons to fly 100,000 miles	Fuel use for the same distance is reduced by 10 percent	Do not complete

5.0 Action Plan and Timeline

Develop a draft action plan for the project.

Action Steps What will be done?	Responsibilities Who is the lead?	Deadline By when? (mm/dd/yy)	Resources Resources available? Resources needed (financial, human, political & other)?	Potential barriers Individuals or organizations? Mitigation?	Communications Plan Who is involved? What methods? How often?